

Description: piezo telephone ringer

Date: 9/22/2006 Unit: mm

Page No: 1 of 5




Specifications

30 Vp-p max.	
9 mA max.	at 10 Vp-p, square wave, 1.1 KHz
81 db min.	at 10 cm / 10 Vp-p, square wave, 1.1 KHz
43,000 pF ±30%	at 120 Hz / 1 V
-30 ~ +85° C	
-40 ~ +95° C	
ø34.5 x H9.2 mm	
5.3 g max.	
ABS UL-94 1/16" HB High	Heat (Black)
Wire type	
yes	
	9 mA max. 81 db min. 43,000 pF ±30% -30 ~ +85° C -40 ~ +95° C Ø34.5 x H9.2 mm 5.3 g max. ABS UL-94 1/16" HB High Wire type

Appearance Drawing

Tolerance: ±0.5






Description: piezo telephone ringer


Date: 9/22/2006 Unit: mm

Page No: 2 of 5

Typical Frequency Response Curve



Measurement Method



Mic: RION S.P.L. meter UC30 or equivalent

S.G.: Hewlett Packard 33120A Function Generator or equivalent



Description: piezo telephone ringer

Date: 9/22/2006

Unit: mm

Page No: 3 of 5

Mechanical Characteristics

Item	Test Condition	Evaluation Standard
Solderability	Stripped wires of lead wires are immersed in	90% min. of the stripped wires
(Connector excepted)	rosin for 5 seconds and then immersed in	will be wet with solder.
	a solder bath of +270 ±5°C for 3 ±0.5 seconds.	(Except the edge of the terminal)
Terminal Mechanical Strength	The pull force should be applied to the double	
	lead wire:	No damage or cutting off.
	Horizontal 3.0N (0.306kg) for 30 seconds	
	Vertical 2.0N (0.204kg) for 30 seconds	
Vibration	The buzzer will be measured after applying	The value of oscillation
	a vibration amplitude of 1.5 mm with 10 to	frequency/current consumption
	55 Hz band of vibration frequency to each of	should be ±10% of the initial
	the 3 perpendicular directions for 2 hours.	measurements. The SPL should
Drop Test	The part will be dropped from a height of 75 cm	be within ±10dB compared with
	onto a 40 mm thick wooden board 3 times in	the initial measurement.
	3 axis (X, Y, Z) for a total of 9 drops.	

Environment Test

Item	Test Condition	Evaluation Standard
High temp. test	After being placed in a chamber at +95°C for 240 hours.	
Low temp. test	After being placed in a chamber at -40°C for 240 hours.	The buzzer will be measured after being placed at +25°C for 4 hours. The value of the oscillation frequency/current consumption should be ±10% compared to the initial measurements. The SPL should be within ±10dB compared to the initial measurements.
Humidity test	After being placed in a chamber at +40°C and 90±5% relative humidity for 240 hours.	
Temp. cycle test	The part shall be subjected to 5 cycles. One cycle will consist of: +95°C -40°C 0.5hr 0.5hr 0.5hr 0.5hr 0.5hr 0.5hr 0.5hr 3hours	



Description: piezo telephone ringer

Date: 9/22/2006

Unit: mm

Page No: 4 of 5

Reliability Test

Item	Test Condition	Evaluation Standard		
Operating (Life Test)	Continuous life test:	The buzzer will be measured after		
	The part will be subjected to 48 hours of	being placed at +25°C for 4		
	continuous operation at +70°C with rated	hours. The value of the		
	voltage applied.	oscillation frequency/current		
		consumption should be ±10%		
	2. Intermittent life test:	compared to the initial		
	A duty cycle of 1 minute on, 1 minute off, a	measurements. The SPL should		
	minimum of 5,000 times at room temp	be within ±10dB compared to		
	(+25 ±2°C) with rated voltage applied.	the initial measurements.		

Test Conditions

Standard Test Condition	a) Tempurature: +5 ~ +35°C	b) Humidity: 45 - 85%	c) Pressure: 860-1060 mbar
Judgement Test Condition	a) Tempurature: +25 ±2°C	b) Humidity: 60 - 70%	c) Pressure: 860-1060 mbar

Description: piezo telephone ringer

Date: 9/22/2006

Unit: mm Page No: 5 of 5

Packaging

