


#### **Applications**

- Receive Chain Protection
- Commercial and Military Radar



#### **Functional Block Diagram**

## Product Features


- Frequency Range: 30 38 GHz
- Insertion Loss: < 1 dB</li>
- Peak Power Handling: 1 W
- Flat Leakage: ≤ 20 dBm at P<sub>IN</sub> < 30 dBm
- Spike Leakage: ≤ 20 dBm at P<sub>IN</sub> < 30 dBm
- Return Loss: > 12 dB
- Passive (no DC bias required)
- Integrated DC Block on input and output
- Chip Dimensions: 1.35 x 1.15 x 0.1 mm

#### **General Description**

The TriQuint TGL2203 is a wideband MMIC GaAs VPIN limiter capable of protecting sensitive receive channel components against high power incident signals. The TGL2203 does not require DC bias and achieves a low insertion loss all in a small form factor. These features allow for simple integration with minimal impact to system performance.

The TGL2203 operates from 30 to 38 GHz and achieves low insertion loss of 1 dB and a return loss of >12 dB; it can limit up to 1 W incident power with a low flat leakage of 20 dBm. The TGL2203 is ideally suited to support both commercial and defense related applications.

Lead-free and RoHS compliant.



#### **Pin Configuration**

Pin No.	Symbol	
1	RFIN	
2	RFout	

Notes:

1. RF input and output ports are not interchangeable.

Ordering Information				
Part	ECCN	Description		
TGL2203	EAR99	Ka-Band 1 W VPIN Limiter		



# **TGL2203** *Ka-Band 1 W VPIN Limiter*

#### **Absolute Maximum Ratings**

Parameter	Value
Incident Power, CW or Pulsed, 50 $\Omega$ , 25 °C	2 W
Mounting Temperature (30 Seconds)	320 °C
Storage Temperature	-40 to 150 °C

Operation of this device outside the parameter ranges given above may cause permanent damage. These are stress ratings only, and functional operation of the device at these conditions is not implied.

#### **Recommended Operating Conditions**

#### Parameter

Passive -	- No bias	3

Electrical specifications are measured at specified test conditions. Specifications are not guaranteed over all recommended operating conditions.


#### **Electrical Specifications**


Test conditions unless otherwise noted: $T = 25^{\circ}C$					
Parameter	Conditions	Min	Тур	Max	Units
Operational Frequency Range		30		38	GHz
Insertion Loss			< 1		dB
Input Return Loss			12		dB
Output Return Loss			12		dB
Flat Leakage Power	P <sub>IN</sub> < 30 dBm		≤ 20		dBm
Spike Leakage	33 GHz, Pulsed, PW = 1 $\mu$ s, 10% DC		≤ 20		dBm
Insertion Loss Temperature Coefficient			0.004		dB/°C





# **TGL2203** *Ka-Band 1 W VPIN Limiter*

## **Typical Performance**













### Assembly Drawing



### **Mechanical Information and Pad Description**



Unit: millimeters Thickness: 0.10Die x, y size tolerance:  $\pm 0.050$ Chip edge to bond pad dimensions are shown to center of pad Ground is backside of die

Pad Number	Symbol	Description	Pad Size
1	RFIN	Input; matched to 50 $\Omega$ .	0.100 x 0.200
2	RFout	Output; matched to 50 $\Omega$ .	0.100 x 0.200
	1		1

Notes:

1. RF input and output ports are not interchangeable.

# TriQuint 🕥

#### **Assembly Notes**

Component placement and adhesive attachment assembly notes:

- Vacuum pencils and/or vacuum collets are the preferred method of pick up.
- · Air bridges must be avoided during placement.
- The force impact is critical during auto placement.
- Solder or Organic Adhesive attachment can be used for TGL2203.
- Curing should be done in a convection oven; proper exhaust is a safety concern.

Solder attachment reflow process assembly notes:

- Use AuSn (80/20) solder and limit exposure to temperatures above 300°C to 3 to 4 minutes, maximum.
- An alloy station or conveyor furnace with reducing atmosphere should be used.
- Do not use any kind of flux.
- Coefficient of thermal expansion matching is critical for long-term reliability.
- Devices must be stored in a dry nitrogen atmosphere.

Organic adhesive attachment assembly notes:

- The organics such as epoxy or polyimide can be used.
- Epoxies cure at temperatures of 100 to 200°C.

Interconnect process assembly notes:

- Thermosonic ball bonding is the preferred interconnect technique.
- Force, time, and ultrasonics are critical parameters.
- Aluminum wire should not be used.
- Devices with small pad sizes should be bonded with 0.0007-inch wire.



#### **Product Compliance Information**

#### **ESD Sensitivity Ratings**



Caution! ESD-Sensitive Device

ESD Rating: TBD Value: TBD Test: Human Body Model (HBM) Standard: JEDEC Standard JESD22-A114

#### ECCN

US Department of Commerce: EAR99

#### Solderability

Compatible with the latest version of J-STD-020 Lead free solder, 260  $^{\circ}$ C.

#### **MSL** Rating

TBD at 260 °C convection reflow The part is rated Moisture Sensitivity Level TBD JEDEC standard IPC/JEDEC J-STD-020. Solderability

#### **RoHS Compliance**

This part is compliant with EU 2002/95/EC RoHS directive (Restrictions on the Use of Certain Hazardous Substances in Electrical and Electronic Equipment).

This product also has the following attributes:

- Lead Free
- Halogen Free (Chlorine, Bromine)
- Antimony Free
- TBBP-A (C<sub>15</sub>H<sub>12</sub>Br<sub>4</sub>O<sub>2</sub>) Free
- PFOS Free
- SVHC Free

#### **Contact Information**

For the latest specifications, additional product information, worldwide sales and distribution locations, and information about TriQuint:

Web:	www.triquint.com	Tel:	+1.972.994.8465
Email:	info-sales@triquint.com	Fax:	+1.972.994.8504

For technical questions and application information:

Email: info-products@triquint.com

#### **Important Notice**

The information contained herein is believed to be reliable. TriQuint makes no warranties regarding the information contained herein. TriQuint assumes no responsibility or liability whatsoever for any of the information contained herein. The information contained herein is provided "AS IS, WHERE IS" and with all faults, and the entire risk associated with such information is entirely with the user. All information contained herein is subject to change without notice. Customers should obtain and verify the latest relevant information before placing orders for TriQuint products. The information contained herein or any use of such information does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other intellectual property rights, whether with regard to such information itself or anything described by such information.

TriQuint products are not warranted or authorized for use as critical components in medical, life-saving, or lifesustaining applications, or other applications where a failure would reasonably be expected to cause severe personal injury or death.