

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0015913800](#)
Status: **Active**
Description: 2.54mm (.100") Pitch C-Grid® Header, Surface Mount, Dual Row, Vertical, 80 Circuits, 0.76µm (30µ") Gold (Au) Selective Plating, without PCB Locator Pegs

Documents:

| | |
|---|--|
| 3D Model | Product Specification PS-71308 (PDF) |
| Drawing (PDF) | RoHS Certificate of Compliance (PDF) |
| Packaging Specification (PDF) | |

Agency Certification

| | |
|-----|---------|
| CSA | LR19980 |
| UL | E29179 |

General

| | |
|----------------|-------------------------------|
| Product Family | PCB Headers |
| Series | 71308 |
| Application | Board-to-Board, Wire-to-Board |
| Product Name | C-Grid® |

Physical


| | |
|--------------------------------|--------------------------------|
| Breakaway | Yes |
| Circuits (Loaded) | 80 |
| Circuits (maximum) | 80 |
| Color - Resin | Black |
| Durability (mating cycles max) | 50 |
| Flammability | 94V-0 |
| Glow-Wire Compliant | No |
| Lock to Mating Part | None |
| Material - Metal | Phosphor Bronze |
| Material - Plating Mating | Gold |
| Material - Plating Termination | Tin |
| Material - Resin | High Temperature Thermoplastic |
| Number of Rows | 2 |
| Orientation | Vertical |
| PCB Locator | No |
| PCB Retention | None |
| Packaging Type | Tube |
| Pitch - Mating Interface (in) | 0.100 In |
| Pitch - Mating Interface (mm) | 2.54 mm |
| Plating min: Mating (µin) | 32 |
| Plating min: Mating (µm) | 0.8 |
| Plating min: Termination (µin) | 80 |
| Plating min: Termination (µm) | 2 |
| Polarized to Mating Part | No |
| Polarized to PCB | No |
| Shrouded | No |
| Stackable | Yes |
| Temperature Range - Operating | -40°C to +105°C |
| Termination Interface: Style | Surface Mount |

Electrical

| | |
|-------------------------------|------|
| Current - Maximum per Contact | 3A |
| Voltage - Maximum | 250V |

Solder Process Data

| | |
|--|----|
| Duration at Max. Process Temperature (seconds) | 30 |
|--|----|



*Series
image - Reference only*

EU RoHS

**ELV and RoHS
Compliant**
**REACH SVHC
Contains SVHC: No**
**Halogen-Free
Status**

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
71308Series

| | |
|---|---------------------------|
| Lead-free Process Capability | Reflow Capable (SMT only) |
| Max. Cycles at Max. Process Temperature | 3 |
| Process Temperature max. C | 260 |

Material Info

| | |
|-----------------|------------|
| Old Part Number | 713080280N |
|-----------------|------------|


Reference - Drawing Numbers

| | |
|-----------------------|-------------------------|
| Product Specification | PS-71308, RPS-71308-001 |
| Sales Drawing | SD-71308-001 |

This document was generated on 03/30/2010


PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

OPTIONAL
PICK AND PLACE CAP
SEE NOTES 4 & 9.




| DIM. "M" | DIM. "G" |
|--------------|---------------|
| 6.10 .240 | 10.67 .420 |
| 8.13 .320 | 12.70 .500 |


PEG OPTIONS




P.C. BOARD PAD LAYOUT
AT ENDS FOR NO PEG VERSION.



ROW "A"
ROW "B"



USED TO LOCATE VOIDED CIRCUITS



NOTES:

- MATERIALS: INSULATOR: GLASS FILLED LIQUID CRYSTAL POLYMER (LCP), UL94 V-0, COLOR: BLACK
TERMINAL: COPPER ALLOY
- FINISH:
59 TIN - 0.00150/0.00059 MINIMUM BRIGHT TIN OVER NICKEL OVERALL.
150 TIN - 0.00381/0.00150 MINIMUM BRIGHT TIN OVER NICKEL OVERALL.
15 GOLD - 0.00038/0.00015 MINIMUM GOLD IN SELECT AREA OVER 0.00191/0.00075 MINIMUM TIN IN SELECT AREA OVER NICKEL OVERALL.
30 GOLD - 0.00076/0.00030 MINIMUM GOLD IN SELECT AREA OVER 0.00191/0.00075 MINIMUM TIN IN SELECT AREA OVER NICKEL OVERALL.
50 GOLD - 0.00127/0.00050 MINIMUM GOLD IN SELECT AREA OVER 0.00254/0.00100 MINIMUM TIN IN SELECT AREA OVER NICKEL OVERALL.
* THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH LEAD.
- PART TO CONFORM TO PS-71308.
- PACKAGING (SEE CHARTS):
BULK: PER PK-70873-0353
TUBES: PER PK-70873-0041.
71308-82** IN TUBES: PER PK-70873-042.
TUBES W/ VAC CAPS: PER PK-70873-0691
TAPE AND REEL W/ VAC CAPS: PER PK-70873-0805.
SEE SHEET 3 FOR TAPE & REEL PRODUCT WITH SHALLOW POCKET REQUIREMENTS.
- TYP. DIMENSIONS FOR LANDS SURROUNDING HOLES FOR RETENTION PEGS.
- PIN SOLERABILITY PER MOLEX SPEC. ES-152.
- SEE SHEETS 2-5 FOR CHARTED DIMS., PART/EDP NO'S, AND VOIDED CIRCUITS.
- PIN PUSHOUT FORCE: 3 LBS. MINIMUM.
- PICK-N-PLACE CAPS WILL BE PLACED SO THAT VACUUM PICK UP AREA WILL BE IN CENTER OF PART.
- COPLANARITY FOR CIRCUIT SIZES UP TO 40 IS 0.15 MM/0.006 INCH. FOR CIRCUIT SIZES 42 AND LARGER, CONTACT MOLEX SALES DEPARTMENT.
- THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

| REV | DESCRIPTION |
|-----|-------------|
| K3 | |

| QUALITY SYMBOLS |
|-----------------|
| ▽=0 |
| ▽=0 |

| GENERAL TOLERANCES (UNLESS SPECIFIED) | |
|---------------------------------------|--------|
| mm | INCH |
| 4 PLACES ± --- | ± --- |
| 3 PLACES ± --- | ± .005 |
| 2 PLACES ± 0.13 | ± .010 |
| 1 PLACE ± 0.25 | ± --- |
| ANGULAR ± 1/2° | |

| DIMENSION STYLE | |
|-----------------|------------|
| MM/IN | |
| DRAWN BY | DATE |
| KMS | 1999/10/15 |
| CHECKED BY | DATE |
| KMS | 1999/10/15 |
| APPROVED BY | DATE |
| KMS | 1999/10/15 |
| MATERIAL NO. | |
| SEE TABLES | |
| SIZE | |
| C | |

| SCALE | DESIGN UNITS | THIRD ANGLE PROJECTION |
|---|--------------|------------------------|
| | INCH | |
| TITLE | | |
| SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100 | | |
| MOLEX MOLEX INCORPORATED | | |
| DOCUMENT NO. | | SHEET NO. |
| SD-71308-001 | | 1 OF 6 |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | |

| 13 | | 12 | | 11 | | 10 | | 9 | | 8 | | 7 | | 6 | | 5 | | 4 | | 3 | | 2 | | 1 | |
|-------------------------------|--------|---------|--------|----------------------------|-------------|----------------------------|-------------|-------------|-------------|-------------|-------------|----------------------------|-------------|-------------|-------------|-------------|------------|----------------------------|------------|-------------|------------|------------|------------|------------|------|
| PACKAGING SEE NOTE 4 SHT 1 | | 4-6 CKT | | BULK | | TAPE-N-REEL W/ VAC CAPS | | N/A | | BULK | | TAPE-N-REEL W/ VAC CAPS | | N/A | | BULK | | TAPE-N-REEL W/ VAC CAPS | | N/A | | BULK | | BULK | |
| 8-100 CKT | | TUBES | | TAPE-N-REEL W/ VAC CAPS | | TUBES | | W/ VAC CAPS | | TUBES | | TAPE-N-REEL W/ VAC CAPS | | TUBES | | W/ VAC CAPS | | TUBES | | W/ VAC CAPS | | TUBES | | TUBES | |
| DIM. M ±0.25 MM | | | | 6.10 (.240) | | | | 6.10 (.240) | | | | 6.10 (.240) | | | | 8.13 (.320) | | | | 8.13 (.320) | | | | | |
| PLATING | | | | 150 TIN | | | | 15 GOLD | | | | 30 GOLD | | | | 15 GOLD | | | | 30 GOLD | | | | | |
| DIM. H | | | | 2.54 (.100) | | | | 2.54 (.100) | | | | 2.54 (.100) | | | | 4.57 (.180) | | | | 4.57 (.180) | | | | | |
| DIM. J | | | | 5.08 (.200) | | | | 5.08 (.200) | | | | 5.08 (.200) | | | | 7.11 (.280) | | | | 7.11 (.280) | | | | | |
| CKTS | DIM. A | | DIM. B | | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | CKTS |
| | MM | IN | MM | IN | | | | | | | | | | | | | | | | | | | | | |
| 04 | 5.08 | .200 | 2.54 | .100 | 015-91-2040 | 015-91-6040 | N/A | 015-91-0040 | 015-91-6042 | N/A | 015-91-3040 | 015-91-6043 | N/A | 015-91-0048 | 015-91-5049 | 04 | | | | | | | | | |
| 06 | 7.62 | .300 | 5.08 | .200 | 015-91-2060 | 015-91-6060 | N/A | 015-91-0060 | 015-91-6062 | N/A | 015-91-3060 | 015-91-6063 | N/A | 015-91-0068 | 015-91-5069 | 06 | | | | | | | | | |
| 08 | 10.16 | .400 | 7.62 | .300 | 015-91-2080 | 015-91-6080 | 015-91-3087 | 015-91-0080 | 015-91-6082 | 015-91-3086 | 015-91-3080 | 015-91-6083 | 015-91-3088 | 015-91-0088 | 015-91-5089 | 08 | | | | | | | | | |
| 10 | 12.70 | .500 | 10.16 | .400 | 015-91-2100 | 015-91-6100 | 015-91-3107 | 015-91-0100 | 015-91-6102 | 015-91-3106 | 015-91-3100 | 015-91-6103 | 015-91-3108 | 015-91-0108 | 015-91-5109 | 10 | | | | | | | | | |
| 12 | 15.24 | .600 | 12.70 | .500 | 015-91-2120 | 015-91-6120 | 015-91-3127 | 015-91-0120 | 015-91-6122 | 015-91-3126 | 015-91-3120 | 015-91-6123 | 015-91-3128 | 015-91-0128 | 015-91-5129 | 12 | | | | | | | | | |
| 14 | 17.78 | .700 | 15.24 | .600 | 015-91-2140 | 015-91-6140 | 015-91-3147 | 015-91-0140 | 015-91-6142 | 015-91-3146 | 015-91-3140 | 015-91-6143 | 015-91-3148 | 015-91-0148 | 015-91-5149 | 14 | | | | | | | | | |
| 16 | 20.32 | .800 | 17.78 | .700 | 015-91-2160 | 015-91-6160 | 015-91-3167 | 015-91-0160 | 015-91-6162 | 015-91-3166 | 015-91-3160 | 015-91-6163 | 015-91-3168 | 015-91-0168 | 015-91-5169 | 16 | | | | | | | | | |
| 18 | 22.86 | .900 | 20.32 | .800 | 015-91-2180 | | 015-91-3187 | 015-91-0180 | | 015-91-3186 | 015-91-3180 | | 015-91-3188 | 015-91-0188 | 015-91-5189 | 18 | | | | | | | | | |
| 20 | 25.40 | 1.000 | 22.86 | .900 | 015-91-2200 | 015-91-6200 | 015-91-3207 | 015-91-0200 | 015-91-6202 | 015-91-3206 | 015-91-3200 | 015-91-6203 | 015-91-3208 | 015-91-0208 | 015-91-5209 | 20 | | | | | | | | | |
| 22 | 27.94 | 1.100 | 25.40 | 1.000 | 015-91-2220 | | 015-91-3227 | 015-91-0220 | | 015-91-3226 | 015-91-3220 | | 015-91-3228 | 015-91-0228 | 015-91-5229 | 22 | | | | | | | | | |
| 24 | 30.48 | 1.200 | 27.94 | 1.100 | 015-91-2240 | | 015-91-3247 | 015-91-0240 | | 015-91-3246 | 015-91-3240 | | 015-91-3248 | 015-91-0248 | 015-91-5249 | 24 | | | | | | | | | |
| 26 | 33.02 | 1.300 | 30.48 | 1.200 | 015-91-2260 | 015-91-6260 | 015-91-3267 | 015-91-0260 | 015-91-6262 | 015-91-3266 | 015-91-3260 | | 015-91-3268 | 015-91-0268 | 015-91-5269 | 26 | | | | | | | | | |
| 28 | 35.56 | 1.400 | 33.02 | 1.300 | 015-91-2280 | | 015-91-3287 | 015-91-0280 | | 015-91-3286 | 015-91-3280 | | 015-91-3288 | 015-91-0288 | 015-91-5289 | 28 | | | | | | | | | |
| 30 | 38.10 | 1.500 | 35.56 | 1.400 | 015-91-2300 | | 015-91-3307 | 015-91-0300 | | 015-91-3306 | 015-91-3300 | | 015-91-3308 | 015-91-0308 | 015-91-5309 | 30 | | | | | | | | | |
| 32 | 40.64 | 1.600 | 38.10 | 1.500 | 015-91-2320 | | 015-91-3327 | 015-91-0320 | | 015-91-3326 | 015-91-3320 | | 015-91-3328 | 015-91-0328 | 015-91-5329 | 32 | | | | | | | | | |
| 34 | 43.18 | 1.700 | 40.64 | 1.600 | 015-91-2340 | | 015-91-3347 | 015-91-0340 | | 015-91-3346 | 015-91-3340 | | 015-91-3348 | 015-91-0348 | 015-91-5349 | 34 | | | | | | | | | |
| 36 | 45.72 | 1.800 | 43.18 | 1.700 | 015-91-2360 | | 015-91-3367 | 015-91-0360 | | 015-91-3366 | 015-91-3360 | | 015-91-3368 | 015-91-0368 | 015-91-5369 | 36 | | | | | | | | | |
| 38 | 48.26 | 1.900 | 45.72 | 1.800 | 015-91-2380 | | 015-91-3387 | 015-91-0380 | | 015-91-3386 | 015-91-3380 | | 015-91-3388 | 015-91-0388 | 015-91-5389 | 38 | | | | | | | | | |
| 40 | 50.80 | 2.000 | 48.26 | 1.900 | 015-91-2400 | 015-91-6400 | 015-91-3407 | 015-91-0400 | 015-91-6402 | 015-91-3406 | 015-91-3400 | 015-91-6403 | 015-91-3408 | 015-91-0408 | 015-91-5409 | 40 | | | | | | | | | |
| 42 | 53.34 | 2.100 | 50.80 | 2.000 | 015-91-2420 | | 015-91-3427 | 015-91-0420 | | 015-91-3426 | 015-91-3420 | | 015-91-3428 | 015-91-0428 | 015-91-5429 | 42 | | | | | | | | | |
| 44 | 55.88 | 2.200 | 53.34 | 2.100 | 015-91-2440 | | 015-91-3447 | 015-91-0440 | | 015-91-3446 | 015-91-3440 | | 015-91-3448 | 015-91-0448 | 015-91-5449 | 44 | | | | | | | | | |
| 46 | 58.42 | 2.300 | 55.88 | 2.200 | 015-91-2460 | | 015-91-3467 | 015-91-0460 | | 015-91-3466 | 015-91-3460 | | 015-91-3468 | 015-91-0468 | 015-91-5469 | 46 | | | | | | | | | |
| 48 | 60.96 | 2.400 | 58.42 | 2.300 | 015-91-2480 | | 015-91-3487 | 015-91-0480 | | 015-91-3486 | 015-91-3480 | | 015-91-3488 | 015-91-0488 | 015-91-5489 | 48 | | | | | | | | | |
| 50 | 63.50 | 2.500 | 60.96 | 2.400 | 015-91-2500 | 015-91-6500 | 015-91-3507 | 015-91-0500 | 015-91-6502 | 015-91-3506 | 015-91-3500 | 015-91-6503 | 015-91-3508 | 015-91-0508 | 015-91-5509 | 50 | | | | | | | | | |
| 52 | 66.04 | 2.600 | 63.50 | 2.500 | 015-91-2520 | | 015-91-3527 | 015-91-0520 | | 015-91-3526 | 015-91-3520 | | 015-91-3528 | 015-91-0528 | 015-91-5529 | 52 | | | | | | | | | |
| 54 | 68.58 | 2.700 | 66.04 | 2.600 | 015-91-2540 | | 015-91-3547 | 015-91-0540 | | 015-91-3546 | 015-91-3540 | | 015-91-3548 | 015-91-0548 | 015-91-5549 | 54 | | | | | | | | | |
| 56 | 71.12 | 2.800 | 68.58 | 2.700 | 015-91-2560 | | 015-91-3567 | 015-91-0560 | | 015-91-3566 | 015-91-3560 | | 015-91-3568 | 015-91-0568 | 015-91-5569 | 56 | | | | | | | | | |
| 58 | 73.66 | 2.900 | 71.12 | 2.800 | 015-91-2580 | | 015-91-3587 | 015-91-0580 | | 015-91-3586 | 015-91-3580 | | 015-91-3588 | 015-91-0588 | 015-91-5589 | 58 | | | | | | | | | |
| 60 | 76.20 | 3.000 | 73.66 | 2.900 | 015-91-2600 | | 015-91-3607 | 015-91-0600 | | 015-91-3606 | 015-91-3600 | | 015-91-3608 | 015-91-0608 | 015-91-5609 | 60 | | | | | | | | | |
| 62 | 78.74 | 3.100 | 76.20 | 3.000 | 015-91-2620 | | 015-91-3627 | 015-91-0620 | | 015-91-3626 | 015-91-3620 | | 015-91-3628 | 015-91-0628 | 015-91-5629 | 62 | | | | | | | | | |
| 64 | 81.28 | 3.200 | 78.74 | 3.100 | 015-91-2640 | | 015-91-3647 | 015-91-0640 | | 015-91-3646 | 015-91-3640 | | 015-91-3648 | 015-91-0648 | 015-91-5649 | 64 | | | | | | | | | |
| 66 | 83.82 | 3.300 | 81.28 | 3.200 | 015-91-2660 | | 015-91-3667 | 015-91-0660 | | 015-91-3666 | 015-91-3660 | | 015-91-3668 | 015-91-0668 | 015-91-5669 | 66 | | | | | | | | | |
| 68 | 86.36 | 3.400 | 83.82 | 3.300 | 015-91-2680 | | 015-91-3687 | 015-91-0680 | | 015-91-3686 | 015-91-3680 | | 015-91-3688 | 015-91-0688 | 015-91-5689 | 68 | | | | | | | | | |
| 70 | 88.90 | 3.500 | 86.36 | 3.400 | 015-91-2700 | | 015-91-3707 | 015-91-0700 | | 015-91-3706 | 015-91-3700 | | 015-91-3708 | 015-91-0708 | 015-91-5709 | 70 | | | | | | | | | |
| 72 | 91.44 | 3.600 | 88.90 | 3.500 | 015-91-2720 | | 015-91-3727 | 015-91-0720 | | 015-91-3726 | 015-91-3720 | | 015-91-3728 | 015-91-0728 | 015-91-5729 | 72 | | | | | | | | | |
| 74 | 93.98 | 3.700 | 91.44 | 3.600 | 015-91-2740 | | 015-91-3747 | 015-91-0740 | | 015-91-3746 | 015-91-3740 | | 015-91-3748 | 015-91-0748 | 015-91-5749 | 74 | | | | | | | | | |
| 76 | 96.52 | 3.800 | 93.98 | 3.700 | 015-91-2760 | | 015-91-3767 | 015-91-0760 | | 015-91-3766 | 015-91-3760 | | 015-91-3768 | 015-91-0768 | 015-91-5769 | 76 | | | | | | | | | |
| 78 | 99.06 | 3.900 | 96.52 | 3.800 | 015-91-2780 | | 015-91-3787 | 015-91-0780 | | 015-91-3786 | 015-91-3780 | | 015-91-3788 | 015-91-0788 | 015-91-5789 | 78 | | | | | | | | | |
| 80 | 101.60 | 4.000 | 99.06 | 3.900 | 015-91-2800 | | 015-91-3807 | 015-91-0800 | | 015-91-3806 | 015-91-3800 | | 015-91-3808 | 015-91-0808 | 015-91-5809 | 80 | | | | | | | | | |
| 82 | 104.14 | 4.100 | 101.60 | 4.000 | 71308-0082 | | 71308-0482 | 71308-0182 | | 71308-0582 | 71308-0282 | | 71308-0682 | 71308-1182 | 71308-1282 | 82 | | | | | | | | | |
| 84 | 106.68 | 4.200 | 104.14 | 4.100 | 71308-0084 | | 71308-0484 | 71308-0184 | | 71308-0584 | 71308-0284 | | 71308-0684 | 71308-1184 | 71308-1284 | 84 | | | | | | | | | |
| 86 | 109.22 | 4.300 | 106.68 | 4.200 | 71308-0086 | | 71308-0486 | 71308-0186 | | 71308-0586 | 71308-0286 | | 71308-0686 | 71308-1186 | 71308-1286 | 86 | | | | | | | | | |
| 88 | 111.76 | 4.400 | 109.22 | 4.300 | 71308-0088 | | 71308-0488 | 71308-0188 | | 71308-0588 | 71308-0288 | | 71308-0688 | 71308-1188 | 71308-1288 | 88 | | | | | | | | | |
| 90 | 114.30 | 4.500 | 111.76 | 4.400 | 71308-0090 | | 71308-0490 | 71308-0190 | | 71308-0590 | 71308-0290 | | 71308-0690 | 71308-1190 | 71308-1290 | 90 | | | | | | | | | |
| 92 | 116.84 | 4.600 | 114.30 | 4.500 | 71308-0092 | | 71308-0492 | 71308-0192 | | 71308-0592 | 71308-0292 | | 71308-0692 | 71308-1192 | 71308-1292 | 92 | | | | | | | | | |
| 94 | 119.38 | 4.700 | 116.84 | 4.600 | 71308-0094 | | 71308-0494 | 71308-0194 | | 71308-0594 | 71308-0294 | | 71308-0694 | 71308-1194 | 71308-1294 | 94 | | | | | | | | | |
| 96 | 121.92 | 4.800 | 119.38 | 4.700 | 71308-0096 | | 71308-0496 | 71308-0196 | | 71308-0596 | 71308-0296 | | 71308-0696 | 71308-1196 | 71308-1296 | 96 | | | | | | | | | |
| 98 | 124.46 | 4.900 | 121.92 | 4.800 | 71308-0098 | | 71308-0498 | 71308-0198 | | 71308-0598 | 71308-0298 | | 71308-0698 | 71308-1198 | 71308-1298 | 98 | | | | | | | | | |
| 100 | 127.00 | 5.000 | 124.46 | 4.900 | 71308-0101 | | 71308-0500 | 71308-0200 | | 71308-0600 | 71308-0300 | | 71308-0700 | 71308-1200 | 71308-1300 | 100 | | | | | | | | | |

| | | | | | | | | | | | |
|--|--|---|--|--|--|---|--|--------------|--------------|--|--|
| <p>NO PEG VERSION</p> <p>(SEE ALSO SHEET 3)</p> | | <p>SEE SHEET 1</p> <p>EC NO: UCP2009-2465</p> <p>DRWIN/KIPPER 2009/08/04</p> <p>CHKD:SSOUSEK 2009/08/07</p> <p>APPR:FSMITH 2009/08/10</p> | <p>QUALITY SYMBOLS</p> <p>▽=0</p> <p>▽=0</p> | GENERAL TOLERANCES (UNLESS SPECIFIED) | | DIMENSION STYLE | | SCALE | DESIGN UNITS | THIRD ANGLE PROJECTION | |
| | | | | mm INCH | | MM/IN | | DRAWN BY | DATE | TITLE | |
| | | K3 | REV | 4 PLACES ± --- ± --- | | KMS 1999/10/15 | | | | <p>SALES ASSY INSULATOR</p> <p>DUAL ROW SMT W/BREAK-OFF</p> <p>.025SQ PIN GULLWING .100</p> <p>MOLEX INCORPORATED</p> <p>SD-71308-001</p> | |
| | | | | 3 PLACES ± --- ± .005 | | CHECKED BY DATE | | | | | |
| | | | | 2 PLACES ± 0.13 ± .010 | | KMS 1999/10/15 | | | | | |
| | | | | 1 PLACE ± 0.25 ± --- | | APPROVED BY DATE | | | | | |
| | | | | ANGULAR ±1/2° | | KMS 1999/10/15 | | | | | |
| | | | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | MATERIAL NO. | | DOCUMENT NO. | | SHEET NO. | |
| | | | | | | SEE TABLE | | | | 2 OF 6 | |
| | | | | | | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | |

| IN TAPE AND REEL WITH SHALLOW POCKET TAPE | | | | | | | | | | | | | BULK / IN TUBES | | | | |
|---|------------|-------|----------------------------|-------|----------------------------|--------|-------------|--|--|--|--|--|-----------------|--|--------------|--|------|
| PACKAGING SEE NOTE 4, SHT 1 | 4-8 CKT | | TAPE-N-REEL W/ VAC CAPS | | TAPE-N-REEL W/ VAC CAPS | | | | | | | | BULK | | BULK | | |
| | 10-100 CKT | | TAPE-N-REEL W/ VAC CAPS | | TAPE-N-REEL W/ VAC CAPS | | | | | | | | TUBES | | TUBES | | |
| DIM. M±0.25 MM | | | 6.10 (.240) | | 6.10 (.240) | | | | | | | | 8.13 (.320) | | 13.59 (.535) | | |
| PLATING | | | 30 GOLD | | 15 GOLD | | | | | | | | 150 TIN | | 150 TIN | | |
| DIM. H | | | 2.54 (.100) | | 2.54 (.100) | | | | | | | | 4.57 (.180) | | 4.57 (.180) | | |
| DIM. J | | | 5.08 (.200) | | 5.08 (.200) | | | | | | | | 7.11 (.280) | | 7.11 (.280) | | |
| CKTS | DIM. A | | DIM. B | | EDP | | EDP | | | | | | EDP | | EDP | | CKTS |
| | MM | IN | MM | IN | NUMBER | NUMBER | | | | | | | NUMBER | | NUMBER | | |
| 04 | 5.08 | .200 | 2.54 | .100 | | | | | | | | | | | | | 04 |
| 06 | 7.62 | .300 | 5.08 | .200 | | | 015-91-6068 | | | | | | | | | | 06 |
| 08 | 10.16 | .400 | 7.62 | .300 | | | 015-91-6088 | | | | | | | | | | 08 |
| 10 | 12.70 | .500 | 10.16 | .400 | | | 015-91-6108 | | | | | | 713088010 | | 71308-8210 | | 10 |
| 12 | 15.24 | .600 | 12.70 | .500 | | | | | | | | | | | | | 12 |
| 14 | 17.78 | .700 | 15.24 | .600 | 015-91-6148 | | | | | | | | | | | | 14 |
| 16 | 20.32 | .800 | 17.78 | .700 | | | | | | | | | 713088016 | | | | 16 |
| 18 | 22.86 | .900 | 20.32 | .800 | | | | | | | | | | | | | 18 |
| 20 | 25.40 | 1.000 | 22.86 | .900 | | | | | | | | | | | | | 20 |
| 22 | 27.94 | 1.100 | 25.40 | 1.000 | | | | | | | | | | | | | 22 |
| 24 | 30.48 | 1.200 | 27.94 | 1.100 | | | | | | | | | | | | | 24 |
| 26 | 33.02 | 1.300 | 30.48 | 1.200 | | | | | | | | | | | | | 26 |
| 28 | 35.56 | 1.400 | 33.02 | 1.300 | | | | | | | | | | | | | 28 |
| 30 | 38.10 | 1.500 | 35.56 | 1.400 | | | | | | | | | | | | | 30 |
| 32 | 40.64 | 1.600 | 38.10 | 1.500 | | | | | | | | | | | | | 32 |
| 34 | 43.18 | 1.700 | 40.64 | 1.600 | | | | | | | | | | | | | 34 |
| 36 | 45.72 | 1.800 | 43.18 | 1.700 | | | | | | | | | | | | | 36 |
| 38 | 48.26 | 1.900 | 45.72 | 1.800 | | | | | | | | | | | | | 38 |
| 40 | 50.80 | 2.000 | 48.26 | 1.900 | | | | | | | | | | | | | 40 |
| 42 | 53.34 | 2.100 | 50.80 | 2.000 | | | | | | | | | | | | | 42 |
| 44 | 55.88 | 2.200 | 53.34 | 2.100 | | | | | | | | | | | | | 44 |
| 46 | 58.42 | 2.300 | 55.88 | 2.200 | | | | | | | | | | | | | 46 |
| 48 | 60.96 | 2.400 | 58.42 | 2.300 | | | | | | | | | | | | | 48 |
| 50 | 63.50 | 2.500 | 60.96 | 2.400 | | | | | | | | | | | | | 50 |
| 52 | 66.04 | 2.600 | 63.50 | 2.500 | | | | | | | | | | | | | 52 |
| 54 | 68.58 | 2.700 | 66.04 | 2.600 | | | | | | | | | | | | | 54 |
| 56 | 71.12 | 2.800 | 68.58 | 2.700 | | | | | | | | | | | | | 56 |
| 58 | 73.66 | 2.900 | 71.12 | 2.800 | | | | | | | | | | | | | 58 |
| 60 | 76.20 | 3.000 | 73.66 | 2.900 | | | | | | | | | | | | | 60 |
| 62 | 78.74 | 3.100 | 76.20 | 3.000 | | | | | | | | | | | | | 62 |
| 64 | 81.28 | 3.200 | 78.74 | 3.100 | | | | | | | | | | | | | 64 |
| 66 | 83.82 | 3.300 | 81.28 | 3.200 | | | | | | | | | | | | | 66 |
| 68 | 86.36 | 3.400 | 83.82 | 3.300 | | | | | | | | | | | | | 68 |
| 70 | 88.90 | 3.500 | 86.36 | 3.400 | | | | | | | | | | | | | 70 |
| 72 | 91.44 | 3.600 | 88.90 | 3.500 | | | | | | | | | | | | | 72 |
| 74 | 93.98 | 3.700 | 91.44 | 3.600 | | | | | | | | | | | | | 74 |
| 76 | 96.52 | 3.800 | 93.98 | 3.700 | | | | | | | | | | | | | 76 |
| 78 | 99.06 | 3.900 | 96.52 | 3.800 | | | | | | | | | | | | | 78 |
| 80 | 101.60 | 4.000 | 99.06 | 3.900 | | | | | | | | | | | | | 80 |
| 82 | 104.14 | 4.100 | 101.60 | 4.000 | | | | | | | | | | | | | 82 |
| 84 | 106.68 | 4.200 | 104.14 | 4.100 | | | | | | | | | | | | | 84 |
| 86 | 109.22 | 4.300 | 106.68 | 4.200 | | | | | | | | | | | | | 86 |
| 88 | 111.76 | 4.400 | 109.22 | 4.300 | | | | | | | | | | | | | 88 |
| 90 | 114.30 | 4.500 | 111.76 | 4.400 | | | | | | | | | | | | | 90 |
| 92 | 116.84 | 4.600 | 114.30 | 4.500 | | | | | | | | | | | | | 92 |
| 94 | 119.38 | 4.700 | 116.84 | 4.600 | | | | | | | | | | | | | 94 |
| 96 | 121.92 | 4.800 | 119.38 | 4.700 | | | | | | | | | | | | | 96 |
| 98 | 124.46 | 4.900 | 121.92 | 4.800 | | | | | | | | | | | | | 98 |
| 100 | 127.00 | 5.000 | 124.46 | 4.900 | | | | | | | | | | | | | 100 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|------------|---|--|---|--|---|----|--|--------------|-------------------------------|---------|----------|--------|---------|----------|--------|--------|---------|--------|--------|---------------|--|--|---|--|----------|------|-----|------------|------------|------|-----|------------|-------------|------|-----|------------|-------|--|---|--|
| <p>NO PEG VERSION</p> <p>(ALSO SEE SHEET 2)</p> | | <p>SEE SHEET 1</p> <p>EC NO: UCP2009-2465</p> <p>DRW:KIPPER 2009/08/04</p> <p>CHKD:SSOUSEK 2009/08/07</p> <p>APPR:FSMITH 2009/08/10</p> | <p>QUALITY SYMBOLS</p> <p>▽=0</p> <p>▽=0</p> | GENERAL TOLERANCES (UNLESS SPECIFIED) | | DIMENSION STYLE | | SCALE | DESIGN UNITS | <p>THIRD ANGLE PROJECTION</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | MM/IN | | | INCH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | <table border="1"> <tr><td></td><td>mm</td><td>INCH</td></tr> <tr><td>4 PLACES</td><td>± .005</td><td>± .0005</td></tr> <tr><td>3 PLACES</td><td>± .010</td><td>± .0010</td></tr> <tr><td>2 PLACES</td><td>± .013</td><td>± .010</td></tr> <tr><td>1 PLACE</td><td>± 0.25</td><td>± .005</td></tr> <tr><td colspan="3">ANGULAR ±1/2°</td></tr> </table> | | | mm | INCH | 4 PLACES | ± .005 | ± .0005 | 3 PLACES | ± .010 | ± .0010 | 2 PLACES | ± .013 | ± .010 | 1 PLACE | ± 0.25 | ± .005 | ANGULAR ±1/2° | | | <table border="1"> <tr><td>DRAWN BY</td><td>DATE</td></tr> <tr><td>KMS</td><td>1999/10/15</td></tr> <tr><td>CHECKED BY</td><td>DATE</td></tr> <tr><td>KMS</td><td>1999/10/15</td></tr> <tr><td>APPROVED BY</td><td>DATE</td></tr> <tr><td>KMS</td><td>1999/10/15</td></tr> </table> | | DRAWN BY | DATE | KMS | 1999/10/15 | CHECKED BY | DATE | KMS | 1999/10/15 | APPROVED BY | DATE | KMS | 1999/10/15 | TITLE | | <p>SALES ASSY INSULATOR</p> <p>DUAL ROW SMT W/BREAK-OFF</p> <p>.025SQ PIN GULLWING .100</p> | |
| | mm | INCH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 PLACES | ± .005 | ± .0005 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 PLACES | ± .010 | ± .0010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 PLACES | ± .013 | ± .010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 PLACE | ± 0.25 | ± .005 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANGULAR ±1/2° | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DRAWN BY | DATE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KMS | 1999/10/15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CHECKED BY | DATE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KMS | 1999/10/15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| APPROVED BY | DATE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KMS | 1999/10/15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | SEE TABLE | | <p>MOLEX INCORPORATED</p> <p>DOCUMENT NO. SD-71308-001</p> | | SHEET NO. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | 3 OF 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | |
|----|----|-------------------------------|----------------|-------------|----------------------------|-------------|----------------------------|---|---|---|---|--|
| 13 | 12 | 11 | 10 | 9 | 8 | 6 | 5 | 4 | 3 | 2 | 1 | |
| | | PACKAGING SEE NOTE 4 SHT 1 | 4-8 CKT | BULK | TAPE-N-REEL W/ VAC CAPS | BULK | TAPE-N-REEL W/ VAC CAPS | | | | | |
| | | | 10-100 CKT | TUBES | TAPE-N-REEL W/ VAC CAPS | TUBES | TAPE-N-REEL W/ VAC CAPS | | | | | |
| | | | DIM. M±0.25 MM | | 6.10 (.240) | | 6.10 (.240) | | | | | |
| | | | PLATING | | 30 GOLD | | 150 TIN | | | | | |
| | | | DIM. H | | 2.54 (.100) | | 2.54 (.100) | | | | | |
| | | DIM. J | | 5.08 (.200) | | 5.08 (.200) | | | | | | |

| CKTS | DIM. A | | DIM. B | | DIM. C | | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | CKTS |
|------|--------|-------|--------|-------|--------|-------|-------------|-------------|------------|------------|------------|------------|------------|------------|------------|------|
| | MM | IN | MM | IN | MM | IN | | | | | | | | | | |
| 04 | 5.08 | .200 | 2.54 | .100 | ---- | ---- | 015-91-1048 | 015-91-6047 | | | | | | | | 04 |
| 06 | 7.62 | .300 | 5.08 | .200 | 2.54 | .100 | 015-91-1068 | 015-91-6067 | 71308-6106 | 71308-6206 | | | | | | 06 |
| 08 | 10.16 | .400 | 7.62 | .300 | 5.08 | .200 | 015-91-1088 | 015-91-6087 | 71308-6108 | 71308-6208 | | | | | | 08 |
| 10 | 12.70 | .500 | 10.16 | .400 | 7.62 | .300 | 015-91-1108 | 015-91-6107 | 71308-6110 | 71308-6210 | | | | | | 10 |
| 12 | 15.24 | .600 | 12.70 | .500 | 10.16 | .400 | 015-91-1128 | | | | | | | | | 12 |
| 14 | 17.78 | .700 | 15.24 | .600 | 12.70 | .500 | 015-91-1148 | 015-91-6147 | | | | | | | | 14 |
| 16 | 20.32 | .800 | 17.78 | .700 | 15.24 | .600 | 015-91-1168 | 015-91-6167 | | | | | | | | 16 |
| 18 | 22.86 | .900 | 20.32 | .800 | 17.78 | .700 | 015-91-1188 | | | | | | | | | 18 |
| 20 | 25.40 | 1.000 | 22.86 | .900 | 20.32 | .800 | 015-91-1208 | 015-91-6207 | | | | | | | | 20 |
| 22 | 27.94 | 1.100 | 25.40 | 1.000 | 22.86 | .900 | 015-91-1228 | | | | | | | | | 22 |
| 24 | 30.48 | 1.200 | 27.94 | 1.100 | 25.40 | 1.000 | 015-91-1248 | | | | | | | | | 24 |
| 26 | 33.02 | 1.300 | 30.48 | 1.200 | 27.94 | 1.100 | 015-91-1268 | | 71308-6126 | | | | | | | 26 |
| 28 | 35.56 | 1.400 | 33.02 | 1.300 | 30.48 | 1.200 | 015-91-1288 | | | | | | | | | 28 |
| 30 | 38.10 | 1.500 | 35.56 | 1.400 | 33.02 | 1.300 | 015-91-1308 | | | | | | | | | 30 |
| 32 | 40.64 | 1.600 | 38.10 | 1.500 | 35.56 | 1.400 | 015-91-1328 | | | | | | | | | 32 |
| 34 | 43.18 | 1.700 | 40.64 | 1.600 | 38.10 | 1.500 | 015-91-1348 | | | | | | | | | 34 |
| 36 | 45.72 | 1.800 | 43.18 | 1.700 | 40.64 | 1.600 | 015-91-1368 | | | | | | | | | 36 |
| 38 | 48.26 | 1.900 | 45.72 | 1.800 | 43.18 | 1.700 | 015-91-1388 | | | | | | | | | 38 |
| 40 | 50.80 | 2.000 | 48.26 | 1.900 | 45.72 | 1.800 | 015-91-1408 | 015-91-6407 | | | | | | | | 40 |
| 42 | 53.34 | 2.100 | 50.80 | 2.000 | 48.26 | 1.900 | 015-91-1428 | | | | | | | | | 42 |
| 44 | 55.88 | 2.200 | 53.34 | 2.100 | 50.80 | 2.000 | 015-91-1448 | | | | | | | | | 44 |
| 46 | 58.42 | 2.300 | 55.88 | 2.200 | 53.34 | 2.100 | 015-91-1468 | | | | | | | | | 46 |
| 48 | 60.96 | 2.400 | 58.42 | 2.300 | 55.88 | 2.200 | 015-91-1488 | | | | | | | | | 48 |
| 50 | 63.50 | 2.500 | 60.96 | 2.400 | 58.42 | 2.300 | 015-91-1508 | 015-91-6507 | | | | | | | | 50 |
| 52 | 66.04 | 2.600 | 63.50 | 2.500 | 60.96 | 2.400 | 015-91-1528 | | | | | | | | | 52 |
| 54 | 68.58 | 2.700 | 66.04 | 2.600 | 63.50 | 2.500 | 015-91-1548 | | | | | | | | | 54 |
| 56 | 71.12 | 2.800 | 68.58 | 2.700 | 66.04 | 2.600 | 015-91-1568 | | | | | | | | | 56 |
| 58 | 73.66 | 2.900 | 71.12 | 2.800 | 68.58 | 2.700 | 015-91-1588 | | | | | | | | | 58 |
| 60 | 76.20 | 3.000 | 73.66 | 2.900 | 71.12 | 2.800 | 015-91-1608 | | | | | | | | | 60 |
| 62 | 78.74 | 3.100 | 76.20 | 3.000 | 73.66 | 2.900 | 015-91-1628 | | | | | | | | | 62 |
| 64 | 81.28 | 3.200 | 78.74 | 3.100 | 76.20 | 3.000 | 015-91-1648 | | | | | | | | | 64 |
| 66 | 83.82 | 3.300 | 81.28 | 3.200 | 78.74 | 3.100 | 015-91-1668 | | | | | | | | | 66 |
| 68 | 86.36 | 3.400 | 83.82 | 3.300 | 81.28 | 3.200 | 015-91-1688 | | | | | | | | | 68 |
| 70 | 88.90 | 3.500 | 86.36 | 3.400 | 83.82 | 3.300 | 015-91-1708 | | | | | | | | | 70 |
| 72 | 91.44 | 3.600 | 88.90 | 3.500 | 86.36 | 3.400 | 015-91-1728 | | | | | | | | | 72 |
| 74 | 93.98 | 3.700 | 91.44 | 3.600 | 88.90 | 3.500 | 015-91-1748 | | | | | | | | | 74 |
| 76 | 96.52 | 3.800 | 93.98 | 3.700 | 91.44 | 3.600 | 015-91-1768 | | | | | | | | | 76 |
| 78 | 99.06 | 3.900 | 96.52 | 3.800 | 93.98 | 3.700 | 015-91-1788 | | | | | | | | | 78 |
| 80 | 101.60 | 4.000 | 99.06 | 3.900 | 96.52 | 3.800 | 015-91-1808 | | | | | | | | | 80 |
| 82 | 104.14 | 4.100 | 101.60 | 4.000 | 99.06 | 3.900 | 71308-6082 | | | | | | | | | 82 |
| 84 | 106.68 | 4.200 | 104.14 | 4.100 | 101.60 | 4.000 | 71308-6084 | | | | | | | | | 84 |
| 86 | 109.22 | 4.300 | 106.68 | 4.200 | 104.14 | 4.100 | 71308-6086 | | | | | | | | | 86 |
| 88 | 111.76 | 4.400 | 109.22 | 4.300 | 106.68 | 4.200 | 71308-6088 | | | | | | | | | 88 |
| 90 | 114.30 | 4.500 | 111.76 | 4.400 | 109.22 | 4.300 | 71308-6090 | | | | | | | | | 90 |
| 92 | 116.84 | 4.600 | 114.30 | 4.500 | 111.76 | 4.400 | 71308-6092 | | | | | | | | | 92 |
| 94 | 119.38 | 4.700 | 116.84 | 4.600 | 114.30 | 4.500 | 71308-6094 | | | | | | | | | 94 |
| 96 | 121.92 | 4.800 | 119.38 | 4.700 | 116.84 | 4.600 | 71308-6096 | | | | | | | | | 96 |
| 98 | 124.46 | 4.900 | 121.92 | 4.800 | 119.38 | 4.700 | 71308-6098 | | | | | | | | | 98 |
| 100 | 127.00 | 5.000 | 124.46 | 4.900 | 121.92 | 4.800 | 71308-6100 | | | | | | | | | 100 |

SHORT PEG VERSION (.055")

| | | | | | | | | |
|--|-------------------------------|---------------------------------------|--|--|--|---|----------------------|------------------------------|
| SEE SHEET 1 EC NO: UCP2009-2465 DRWN:MKIPPER 2009/08/04 CHKD:SSOUSEK 2009/08/07 APPR:FSMITH 2009/08/10 | QUALITY SYMBOLS ▽=0 ▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED) | | DIMENSION STYLE MM/IN | | SCALE | DESIGN UNITS INCH | THIRD ANGLE PROJECTION |
| | | | | DRAWN BY DATE KMS 1999/10/15 | | TITLE SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100 | | |
| | | | | CHECKED BY DATE KMS 1999/10/15 | | MOLEX MOLEX INCORPORATED | | |
| | | | | APPROVED BY DATE KMS 1999/10/15 | | MATERIAL NO. SEE TABLE | | DOCUMENT NO. SD-71308-001 |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | | | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | |

PEG OPTION

NO PEG VERSION

NO PEG VERSION

LONG PEG VERSION (.130")

SHORT PEG VERSION (.055")

| PACKAGING SEE NOTE 4, SHT 1 | 4-6 CKT | | BULK | TAPE-N-REEL W/VAC CAPS | N/A | 4-8 CKT | TAPE-N-REEL W/VAC CAPS | BULK | BULK | BULK | TAPE-N-REEL W/VAC CAPS | BULK | BULK | TAPE-N-REEL W/VAC CAPS | |
|--------------------------------|-----------|--|-------------|---------------------------|----------------------|------------|---------------------------|---------------------------|-------------|------------|---------------------------|---------------------------|-------|---------------------------|----------------------------|
| | 8-100 CKT | | TUBES | TAPE-N-REEL W/VAC CAPS | TUBES W/ VAC CAPS | | 10-100 CKT | TAPE-N-REEL W/VAC CAPS | TUBES | TUBES | TUBES | TAPE-N-REEL W/VAC CAPS | TUBES | BULK | TAPE-N-REEL W/ VAC CAPS |
| DIM. M=0.25 MM | | | 6.10 (.240) | | | 8.13(.320) | | | 13.59(.535) | 6.10(.240) | | 8.13(.320) | | 6.10 (.240) | |
| PLATING | | | 59 TIN | | | 59 TIN | | | 59 TIN | 59 TIN | | 59 TIN | | 59 TIN | |
| DIM. H | | | 2.54(.100) | | | 4.57(.180) | | | 4.57(.180) | 4.57(.180) | | 2.54(.100) | | 2.54(.100) | |
| DIM. J | | | 5.08(.200) | | | 7.11(.280) | | | 7.11(.280) | 5.08(.200) | | 7.11(.280) | | 5.08(.200) | |

| CKTS | DIM. A | | DIM. B | | DIM. C | | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | EDP NUMBER | CKTS |
|------|--------|-------|--------|-------|--------|-------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|
| | MM | IN | MM | IN | MM | IN | | | | | | | | | | |
| 04 | 5.08 | .200 | 2.54 | .100 | --- | --- | 71308-5404 | 71308-5504 | N/A | | | | 71308-6404 | 71308-6504 | 71308-6604 | 04 |
| 06 | 7.62 | .300 | 5.08 | .200 | 2.54 | .100 | 71308-5406 | 71308-5506 | N/A | | | | 71308-6406 | 71308-6506 | 71308-6606 | 06 |
| 08 | 10.16 | .400 | 7.62 | .300 | 5.08 | .200 | 71308-5408 | 71308-5508 | 71308-5608 | | | | 71308-6408 | 71308-6508 | 71308-6608 | 08 |
| 10 | 12.70 | .500 | 10.16 | .400 | 7.62 | .300 | 71308-5410 | 71308-5510 | 71308-5610 | | 71308-5810 | 71308-5910 | 71308-6410 | 71308-6510 | 71308-6610 | 10 |
| 12 | 15.24 | .600 | 12.70 | .500 | 10.16 | .400 | 71308-5412 | 71308-5512 | 71308-5612 | | | | 71308-6412 | | 71308-6612 | 12 |
| 14 | 17.78 | .700 | 15.24 | .600 | 12.70 | .500 | 71308-5414 | 71308-5514 | 71308-5614 | | | | 71308-6414 | 71308-6514 | 71308-6614 | 14 |
| 16 | 20.32 | .800 | 17.78 | .700 | 15.24 | .600 | 71308-5416 | 71308-5516 | 71308-5616 | | 71308-5816 | | 71308-6416 | 71308-6516 | 71308-6616 | 16 |
| 18 | 22.86 | .900 | 20.32 | .800 | 17.78 | .700 | 71308-5418 | | 71308-5618 | | | | 71308-6418 | | 71308-6618 | 18 |
| 20 | 25.40 | 1.000 | 22.86 | .900 | 20.32 | .800 | 71308-5420 | 71308-5520 | | | | | 71308-6420 | | 71308-6620 | 20 |
| 22 | 27.94 | 1.100 | 25.40 | 1.000 | 22.86 | .900 | 71308-5422 | | 71308-5622 | | | | 71308-6422 | | 71308-6622 | 22 |
| 24 | 30.48 | 1.200 | 27.94 | 1.100 | 25.40 | 1.000 | 71308-5424 | | 71308-5624 | | 71308-5724 | 71308-5824 | 71308-6424 | | 71308-6624 | 24 |
| 26 | 33.02 | 1.300 | 30.48 | 1.200 | 27.94 | 1.100 | 71308-5426 | | 71308-5626 | | | | 71308-6426 | | 71308-6626 | 26 |
| 28 | 35.56 | 1.400 | 33.02 | 1.300 | 30.48 | 1.200 | 71308-5428 | | 71308-5628 | | | | 71308-6428 | | 71308-6628 | 28 |
| 30 | 38.10 | 1.500 | 35.56 | 1.400 | 33.02 | 1.300 | 71308-5430 | | 71308-5630 | | | | 71308-6430 | | 71308-6630 | 30 |
| 32 | 40.64 | 1.600 | 38.10 | 1.500 | 35.56 | 1.400 | 71308-5432 | | 71308-5632 | | | | 71308-6432 | | 71308-6632 | 32 |
| 34 | 43.18 | 1.700 | 40.64 | 1.600 | 38.10 | 1.500 | 71308-5434 | | 71308-5634 | | | | 71308-6434 | | 71308-6634 | 34 |
| 36 | 45.72 | 1.800 | 43.18 | 1.700 | 40.64 | 1.600 | 71308-5436 | | 71308-5636 | | | | 71308-6436 | | 71308-6636 | 36 |
| 38 | 48.26 | 1.900 | 45.72 | 1.800 | 43.18 | 1.700 | 71308-5438 | | 71308-5638 | | | | 71308-6438 | | 71308-6638 | 38 |
| 40 | 50.80 | 2.000 | 48.26 | 1.900 | 45.72 | 1.800 | 71308-5440 | 71308-5540 | 71308-5640 | | | | 71308-6440 | | 71308-6640 | 40 |
| 42 | 53.34 | 2.100 | 50.80 | 2.000 | 48.26 | 1.900 | 71308-5442 | | 71308-5642 | | | | 71308-6442 | | 71308-6642 | 42 |
| 44 | 55.88 | 2.200 | 53.34 | 2.100 | 50.80 | 2.000 | 71308-5444 | | 71308-5644 | | | | 71308-6444 | | 71308-6644 | 44 |
| 46 | 58.42 | 2.300 | 55.88 | 2.200 | 53.34 | 2.100 | 71308-5446 | | 71308-5646 | | | | 71308-6446 | | 71308-6646 | 46 |
| 48 | 60.96 | 2.400 | 58.42 | 2.300 | 55.88 | 2.200 | 71308-5448 | | 71308-5648 | | | | 71308-6448 | | 71308-6648 | 48 |
| 50 | 63.50 | 2.500 | 60.96 | 2.400 | 58.42 | 2.300 | 71308-5450 | 71308-5550 | 71308-5650 | | | | 71308-6450 | 71308-6550 | 71308-6650 | 50 |
| 52 | 66.04 | 2.600 | 63.50 | 2.500 | 60.96 | 2.400 | 71308-5452 | | 71308-5652 | | | | 71308-6452 | | 71308-6652 | 52 |
| 54 | 68.58 | 2.700 | 66.04 | 2.600 | 63.50 | 2.500 | 71308-5454 | | 71308-5654 | | | | 71308-6454 | | 71308-6654 | 54 |
| 56 | 71.12 | 2.800 | 68.58 | 2.700 | 66.04 | 2.600 | 71308-5456 | | 71308-5656 | | | | 71308-6456 | | 71308-6656 | 56 |
| 58 | 73.66 | 2.900 | 71.12 | 2.800 | 68.58 | 2.700 | 71308-5458 | | 71308-5658 | | | | 71308-6458 | | 71308-6658 | 58 |
| 60 | 76.20 | 3.000 | 73.66 | 2.900 | 71.12 | 2.800 | 71308-5460 | | 71308-5660 | | | | 71308-6460 | | 71308-6660 | 60 |
| 62 | 78.74 | 3.100 | 76.20 | 3.000 | 73.66 | 2.900 | 71308-5462 | | 71308-5662 | | | | 71308-6462 | | 71308-6662 | 62 |
| 64 | 81.28 | 3.200 | 78.74 | 3.100 | 76.20 | 3.000 | 71308-5464 | | 71308-5664 | | | | 71308-6464 | | 71308-6664 | 64 |
| 66 | 83.82 | 3.300 | 81.28 | 3.200 | 78.74 | 3.100 | 71308-5466 | | 71308-5666 | | | | 71308-6466 | | 71308-6666 | 66 |
| 68 | 86.36 | 3.400 | 83.82 | 3.300 | 81.28 | 3.200 | 71308-5468 | | 71308-5668 | | | | 71308-6468 | | 71308-6668 | 68 |
| 70 | 88.90 | 3.500 | 86.36 | 3.400 | 83.82 | 3.300 | 71308-5470 | | 71308-5670 | | | | 71308-6470 | | 71308-6670 | 70 |
| 72 | 91.44 | 3.600 | 88.90 | 3.500 | 86.36 | 3.400 | 71308-5472 | | 71308-5672 | | | | 71308-6472 | | 71308-6672 | 72 |
| 74 | 93.98 | 3.700 | 91.44 | 3.600 | 88.90 | 3.500 | 71308-5474 | | 71308-5674 | | | | 71308-6474 | | 71308-6674 | 74 |
| 76 | 96.52 | 3.800 | 93.98 | 3.700 | 91.44 | 3.600 | 71308-5476 | | 71308-5676 | | | | 71308-6476 | | 71308-6676 | 76 |
| 78 | 99.06 | 3.900 | 96.52 | 3.800 | 93.98 | 3.700 | 71308-5478 | | 71308-5678 | | | | 71308-6478 | | 71308-6678 | 78 |
| 80 | 101.60 | 4.000 | 99.06 | 3.900 | 96.52 | 3.800 | 71308-5480 | | 71308-5680 | | | | 71308-6480 | | 71308-6680 | 80 |
| 82 | 104.14 | 4.100 | 101.60 | 4.000 | 99.06 | 3.900 | 71308-5482 | | 71308-5682 | | | | 71308-6482 | | 71308-6682 | 82 |
| 84 | 106.68 | 4.200 | 104.14 | 4.100 | 101.60 | 4.000 | 71308-5484 | | 71308-5684 | | | | 71308-6484 | | 71308-6684 | 84 |
| 86 | 109.22 | 4.300 | 106.68 | 4.200 | 104.14 | 4.100 | 71308-5486 | | 71308-5686 | | | | 71308-6486 | | 71308-6686 | 86 |
| 88 | 111.76 | 4.400 | 109.22 | 4.300 | 106.68 | 4.200 | 71308-5488 | | 71308-5688 | | | | 71308-6488 | | 71308-6688 | 88 |
| 90 | 114.30 | 4.500 | 111.76 | 4.400 | 109.22 | 4.300 | 71308-5490 | | 71308-5690 | | | | 71308-6490 | | 71308-6690 | 90 |
| 92 | 116.84 | 4.600 | 114.30 | 4.500 | 111.76 | 4.400 | 71308-5492 | | 71308-5692 | | | | 71308-6492 | | 71308-6692 | 92 |
| 94 | 119.38 | 4.700 | 116.84 | 4.600 | 114.30 | 4.500 | 71308-5494 | | 71308-5694 | | | | 71308-6494 | | 71308-6694 | 94 |
| 96 | 121.92 | 4.800 | 119.38 | 4.700 | 116.84 | 4.600 | 71308-5496 | | 71308-5696 | | | | 71308-6496 | | 71308-6696 | 96 |
| 98 | 124.46 | 4.900 | 121.92 | 4.800 | 119.38 | 4.700 | 71308-5498 | | 71308-5698 | | | | 71308-6498 | | 71308-6698 | 98 |
| 100 | 127.00 | 5.000 | 124.46 | 4.900 | 121.92 | 4.800 | 71308-5500 | | 71308-5700 | | | | 71308-6500 | | 71308-6700 | 100 |

59 TIN PLATE ASSEMBLIES

SEE SHEET 1
EC NO: UCP2009-2465
DRAWN: KIPPER
CHKD: SSOUSEK
APPR: F.S.M.LTH

2009/08/04
2009/08/07
2009/08/10

DESCRIPTION

REV: K3

QUALITY SYMBOLS

▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | mm | INCH |
|----------|--------|---------|
| 4 PLACES | ± .005 | ± .0005 |
| 3 PLACES | ± .005 | ± .0005 |
| 2 PLACES | ± 0.13 | ± .010 |
| 1 PLACE | ± 0.25 | ± .010 |

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE

MM/IN

DRAWN BY: KMS
DATE: 1999/10/15

CHECKED BY: KMS
DATE: 1999/10/15

APPROVED BY: KMS
DATE: 1999/10/15

MATERIAL NO. SEE TABLE

DOCUMENT NO. SD-71308-001

SHEET NO. 6 OF 6

SCALE 1:1

DESIGN UNITS INCH

THIRD ANGLE PROJECTION

TITLE

SALES ASSY INSULATOR
DUAL ROW SMT W/BREAK-OFF
.025SQ PIN GULLWING .100

MOLEX INCORPORATED

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION