

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0192030064](#)  
**Status:** **Active**  
**Description:** VersaKrimp™ Temp-Term Ring Tongue Terminal for 14 to 16 AWG Wire, Stud Size 10, Mylar Tape Carrier

**Documents:**

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

**Agency Certification**

UL E32244

**General**

Product Family	Ring and Spade Terminals
Series	<a href="#">19203</a>
Comments	650&deg;F (343&deg;C)
Crimp Quality Equipment	Yes
Mil-Spec	N/A
Product Name	Temp-Terms, VersaKrimp™
Type	Ring

**Physical**

Barrel Type	Closed - Brazed
Insulation	None
Material - Plating Mating	Tin
Packaging Type	Adhesive Tape on Reel
Stud Size	10 (M5)
Wire Size AWG	14, 16
Wire Size mm²	1.00 - 2.50

**Material Info**

Old Part Number BB-T-337-10T

**Reference - Drawing Numbers**

Sales Drawing BBTCD30101



*Series  
image - Reference only*

**EU RoHS**

**ELV and RoHS  
Compliant**

**REACH SVHC**

**Contains SVHC: No**

**Halogen-Free**

**Status**

**Halogen-Free**

**China RoHS**



**Need more information on product  
environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

[19203Series](#)

**Application Tooling | [FAQ](#)**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

<b>Description</b>	<b>Product #</b>
ATP Perishable Tool Kit used in ATP presses that process product on tape	<a href="#">0190270068</a>
Mini-Mac™ Applicator, Air Feed Mylar Tape	<a href="#">0638853900</a>

**NOTES:**

① MAT'L: COPPER (STOCK TKN.  $\frac{.031}{.79}$ )


PLATING: ELECTRO-NICKEL

② BRAZED SEAM

STUD SIZES: ( $\pm .005$ )

- 02 = .094    413 = .413
- 04 = .119    209 = .209
- 06 = .146
- 08 = .173
- 10 = .198
- 14 = .265
- 56 = .328
- 38 = .390

FILE NO. BB-T-CD-301-01



ALL DIMENSIONS =  $\frac{\text{INCHES}}{\text{MM}}$

$650^{\circ} F$   
 $343^{\circ} C$

WIRE SIZE: 16-14 AWG  
1.0-2.5 MM<sup>2</sup>

PART NUMBER	"W"	"C"	"L"	AVAILABLE STUD SIZES
	$\pm .010$	MIN.	MAX.	
BB-T-318-	$\frac{.534}{13.56}$	$\frac{.554}{14.07}$	$\frac{1.036}{26.31}$	10,14,56,38,413
BB-T-323-	$\frac{.250}{6.35}$	$\frac{.209}{5.31}$	$\frac{.560}{14.22}$	02,04,06,08
BB-T-325-	$\frac{.467}{11.86}$	$\frac{.388}{9.86}$	$\frac{.837}{21.26}$	10,14,56
BB-T-337-	$\frac{.312}{7.92}$	$\frac{.285}{7.24}$	$\frac{.645}{16.38}$	04,06,08,10 209
BB-T-339-	$\frac{.342}{8.69}$	$\frac{.310}{7.87}$	$\frac{.696}{17.68}$	04,06,08,10

DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED		REFERENCE	SCALE: NTS	DATE	TITLE: $650^{\circ}$ TEMP-TERMS RING TONGUE TERMINAL VERSAKRIMP 300-SERIES
FRAC.	DEC.	ANG.	CHKD. BY:	APPRD. BY:	
$\pm$	$\pm$	$\pm$	DRWN. BY: <i>EDL</i>	11-14-90	



DWG. NO. A CUSTOMER DWG.