

Series L


μPOWER™

4.5 Watts Miniature

High Isolation Single/Dual DC-DC Converters

Features

- Surface mount technology
- Up to 4.5 watts output power
- High power density
- High efficiency
- Low profile package
- High input/output isolation
- Short circuit protection
- Low output ripple & noise
- Single or dual outputs
- High MTBF
- 100% burned-in and tested
- Metal case shielding
- Vacuum encapsulated potting



Specifications (Regulated Type)

- Input Voltage Range: ±10% at nominal
- Output Voltage Tolerance: ±1% at nominal
- Input Reflected Ripple: 1% of Vin max.
- Line Regulation: ±.05% for ±10% line change
- Load Regulation: .1% (10% to 100% load)
- Output Ripple & Noise: 50mV p-p
- Input/Output Isolation: 150MΩ/2500VDC min.
- Short Circuit Protection: current limiting
- Efficiency: 60% @ nominal voltage
- Transient Response: Less than 10μsec.
- MTBF: 280,000 hours
- Operating Temperature: -25°C to +70°C
- Storage Temperature: -55°C to +70°C
- Temperature Coefficient: 100ppm/°C
- Burn-In: 70°C for 4 hours and tested
- Long Term Stability: 0.4%/khours



Special Options

- Case: EMI/RF Continuous Shielding Package
Six-sided enclosure grounded
- Stabilization Bake: MIL-STD-883B, method 1008.2
24 hours at +125°C
- Burn-In: MIL-STD-883B, method 1015.4
96 hours at +70°C case temperature
- Temperature Cycle: MIL-STD-883B, method 1010.5
-55°C/+125°C 10 cycles minimum
- Thermal Shock: MIL-STD-883B, method 1011.4
-55°C/5 minutes, +125°C/5 minutes

*Specifications subject to change without notice

Part Number — Custom Designs

KSL μPOWER converters are used in a wide variety of special custom design applications where alternate voltages, currents, pin-outs or multiple outputs are required.



Converter Status

- | | |
|---------------------|--------------------|
| U: Unregulated | S: Special specs |
| R: Regulated | J: Hi-Rel screened |
| C: Custom circuit | T: Triple outputs |
| P: Special pin-outs | Q: Quad outputs |

Applications

- Instrumentation
- Video Processing Equipment
- Process Control
- Industrial Control Systems
- Analog and Digital Systems



