

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0398800714](#)  
**Status:** **Active**  
**Description:** 5.08mm (.200") Pitch Beau™ Eurostyle™ High Profile, Two Level Terminal Block, Modular, 14 Circuits

**Documents:**

[3D Model](#) [RoHS Certificate of Compliance \(PDF\)](#)  
[Drawing \(PDF\)](#)

**Agency Certification**

CSA LR25562  
 UL E48521

**General**

Product Family Terminal Blocks  
 Series [39880](#)  
 Application Wire-to-Board  
 Component Type One Piece  
 Product Literature Order No USA-263  
 Product Name Eurostyle™ Multi-Level  
 Type Euro Block

**Physical**

Circuits (Loaded) 14  
 Entry Angle Horizontal  
 Flammability 94V-0  
 Lock to Mating Part None  
 Number of Rows 2  
 Orientation Vertical  
 PC Tail Length (in) 0.157 In  
 PC Tail Length (mm) 4.00 mm  
 PCB Retention None  
 PCB Thickness Recommended (in) 0.093 In  
 PCB Thickness Recommended (mm) 2.40 mm  
 Panel Mount No  
 Pitch - Mating Interface (in) 0.200 In  
 Pitch - Mating Interface (mm) 5.08 mm  
 Pitch - Term. Interface (in) 0.200 In  
 Pitch - Term. Interface (mm) 5.08 mm  
 Polarized to Mating Part N/A  
 Shrouded Fully  
 Stackable Yes  
 Temperature Range - Operating 110°C  
 Wire Size AWG 12, 14, 16, 18, 20, 22, 24, 26, 28, 30  
 Wire Size mm<sup>2</sup> 0.20 - 2.50

**Electrical**

Current - Maximum per Contact 24A  
 Voltage - Maximum 300V


**Solder Process Data**

Lead-free Process Capability Wave Capable (TH only)

**Material Info**

Old Part Number 882414

**Reference - Drawing Numbers**



**EU RoHS**

**ELV and RoHS Compliant**  
**REACH SVHC**  
 Not Reviewed  
**Halogen-Free Status**  
 Not Reviewed

**China RoHS**



**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
 For a multiple part number RoHS Certificate of Compliance, [click here](#)


Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**  
[39880Series](#)

This document was generated on 04/26/2010

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

NO. OF CIRC.	DIM. "B"	MATERIAL NO.
04	5.1 [.20]	39880-0704
06	10.2 [.40]	39880-0706
08	15.2 [.60]	39880-0708
10	20.3 [.80]	39880-0710
12	25.4 [1.00]	39880-0712
14	30.5 [1.20]	39880-0714
16	35.6 [1.40]	39880-0716
18	40.6 [1.60]	39880-0718
20	45.7 [1.80]	39880-0720
22	50.8 [2.00]	39880-0722
24	55.9 [2.20]	39880-0724
26	61.0 [2.40]	39880-0726
28	66.0 [2.60]	39880-0728
30	71.1 [2.80]	39880-0730
32	76.2 [3.00]	39880-0732
34	81.3 [3.20]	39880-0734
36	86.4 [3.40]	39880-0736
38	91.4 [3.60]	39880-0738
40	96.5 [3.80]	39880-0740
42	101.6 [4.00]	39880-0742
44	106.7 [4.20]	39880-0744
46	111.8 [4.40]	39880-0746
48	116.8 [4.60]	39880-0748
50	121.9 [4.80]	39880-0750
52	127.0 [5.00]	39880-0752
80	198.1 [7.80]	39880-0780



- NOTES:
1. MATERIAL: SEE TABLE
  2. FINISHES: SEE TABLE
  3. PRODUCT SPECIFICATION: NOT REQUIRED
  4. PACKAGING: NOT REQUIRED
  5. MATES WITH: NONE
  6. "XX" REFERS TO THE QUANTITY OF CIRCUITS.

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
4	XX	SCREW, M3	BRONZE	NICKEL PLATE
3	XX	CAGE CLAMP	BRASS	NICKEL PLATE
2	XX	TERMINAL	COPPER ALLOY	TIN PLATE
1	1	INSULATOR, DUAL LEVEL	POLYAMIDE	BLACK

EC NO. 4363 DRWN: CY 01-04-06 CH'K: APPR:	QUALITY SYMBOLS MAJOR CRITICAL SPC S	GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE 2:1	DESIGN UNITS <input type="checkbox"/> mm <input checked="" type="checkbox"/> INCH	THIRD ANGLE PROJECTION	PROJECT NO. - DIMENSIONS: <input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH <input type="checkbox"/> mm ONLY	SHT REV
		4 PLACES ±.0015 3 PLACES ±.038 ±.005 2 PLACES ±.13 ±.01 1 PLACE ±.3	DRAWN BY & DATE C. YORK 11-15-04 CHECKED BY & DATE R. STONE 11-16-04 APPROVED BY & DATE GHR 11-16-04	TITLE: 5.08MM EUROSTYLE, HIGH PROF. TWO LEVEL FIXED BLOCK		CAD FILENAME 8824XX		MATERIAL NO. SEE CHART
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						SIZE B