
DIECAST BOX - 'A' size
**PRODUCT
SPECIFICATION**


 Sheet No. **PS 0254**

Date : 26.01.95

Issue No. 3 (04.06.95)

Sheet 1 of 1

Signature

 Deltron Part No. **459-0010**
Dimensions


DIMENSIONS IN MILLIMETRES

Description

A range of diecast boxes in various sizes, manufactured in a robust aluminium alloy. These lightweight enclosures provide excellent screening against EMI/RFI and are therefore ideal housings for electronic components and circuits.


The close fitting lid is secured using four countersunk screws. The box comes in a plain finish.

Features
MATERIAL

BOX & LID : Aluminium Alloy LM24

SCREWS : Mild Steel

WALL THICKNESS : 1,5 mm


**DIECAST BOX - 'B' size****PRODUCT
SPECIFICATION**Sheet No. **PS 0255**

Date : 26.01.95

Issue No. 3 (05.06.95)

Sheet 1 of 1

Signature

Deltron Part No. **459-0020****Dimensions**

DIMENSIONS IN MILLIMETRES

Description

A range of diecast boxes in various sizes, manufactured in a robust aluminium alloy. These lightweight enclosures provide excellent screening against EMI/RFI and are therefore ideal housings for electronic components and circuits.


The close fitting lid is secured using four countersunk screws. The box comes in a plain finish.

Features**MATERIAL**

BOX & LID : Aluminium Alloy
LM24

SCREWS : Mild Steel

WALL : 1,5 mm
THICKNESS


**DIECAST BOX - 'C' size****PRODUCT
SPECIFICATION**Sheet No. **PS 0256**

Date : 26.01.95

Issue No. 3 (05.06.95)

Sheet 1 of 1

Signature

Deltron Part No. **459-0030****Dimensions**

DIMENSIONS IN MILLIMETRES

Description

A range of diecast boxes in various sizes, manufactured in a robust aluminium alloy. These lightweight enclosures provide excellent screening against EMI/RFI and are therefore ideal housings for electronic components and circuits.


The close fitting lid is secured using four countersunk screws. The box comes in a plain finish.

Features**MATERIAL**

BOX & LID : Aluminium Alloy
LM24

SCREWS : Mild Steel

WALL : 1,5 mm
THICKNESS


**DIECAST BOX - 'D' size****PRODUCT
SPECIFICATION**Sheet No. **PS 0257**

Date : 26.01.95

Issue No. 3 (05.06.95)

Sheet 1 of 1

Signature

Deltron Part No. **459-0040****Dimensions**

DIMENSIONS IN MILLIMETRES

Description

A range of diecast boxes in various sizes, manufactured in a robust aluminium alloy. These lightweight enclosures provide excellent screening against EMI/RFI and are therefore ideal housings for electronic components and circuits.


The close fitting lid is secured using four countersunk screws. The box comes in a plain finish.

Features**MATERIAL**

BOX & LID : Aluminium Alloy
LM24

SCREWS : Mild Steel

WALL : 2,0 mm
THICKNESS


**DIECAST BOX - 'E' size****PRODUCT
SPECIFICATION**Sheet No. **PS 0258**

Date : 26.01.95

Issue No. 3 (05.06.95)

Sheet 1 of 1

Signature

Deltron Part No. **459-0050****Dimensions**

DIMENSIONS IN MILLIMETRES

Description

A range of diecast boxes in various sizes, manufactured in a robust aluminium alloy. These lightweight enclosures provide excellent screening against EMI/RFI and are therefore ideal housings for electronic components and circuits.


The close fitting lid is secured using six countersunk screws. The box comes in a plain finish.

Features**MATERIAL**

BOX & LID : Aluminium Alloy
LM24

SCREWS : Mild Steel

WALL : 2,0 mm
THICKNESS



DELTRON *Components Limited*

696

DIECAST BOX - 'F' size

PRODUCT SPECIFICATION

Sheet No. **PS 0259**

Date : 26.01.95


Issue No. 3 (05.06.95)

Sheet 1 of 1

Signature

Deltron Part No. **459-0060**

Dimensions



DIMENSIONS IN MILLIMETRES

Description

A range of diecast boxes in various sizes, manufactured in a robust aluminium alloy. These lightweight enclosures provide excellent screening against EMI/RFI and are therefore ideal housings for electronic components and circuits.

The close fitting lid is secured using six countersunk screws. The box comes in a plain finish.

Features

MATERIAL

BOX & LID : Aluminium Alloy
LM24

SCREWS : Mild Steel

WALL : 2,0 mm
THICKNESS