

APPROVALS

Acetate BS 2092.2C

Polycarbonate BS EN 166-2F3 BS EN 166-2B39

CE 0194



Special Features

- extremely lightweight
- ♦ fully adjustable head harness and brow guard made from a mix of fibreglass, nylon and PVC
- durable and flexible
- ◆ variety of replaceable wide vision visors available, including gas welding, all 230mm deep
- can be adapted to fit safety helmets

Visors

The visors are made from clear, high impact polycarbonate or clear acetate.

Weight: 352 grams



BOLLÉ (UK) LTD

TECHNICAL FILE REF No: B-CE- 18

MATERIAL DATA SHEET

2000		BF - 2	22	703-6929
PRODUCT CODE:				
PRODUCT DESCRIPTION:		ECLIPSE FACESHIELD		
MANUFACTURED BY:		ETABLISSEMENT BOLLE		
MANUFACTURER'S CODE:		111300		
APPROVALS FROM:		BRITISH STANDARDS INSTITUTION		
STANDARD No:	BS 2092		GRADE:	1CM
REPORT No:	109570		DATE:	14.02.85
REPORT No.				

MATERIALS

THE ABOVE PRODUCTS ARE MADE FROM THE FOLLOWING MATERIALS:

LENSES:	Material: Thickness: Surface Treatment: Spherical Refractive Power: Astigmatic Refractive Power: Prismatic Refractive Power:		Policarbonate 2.1 mm None -0.03 0.02 <0.12		
FRAME:		6.8 mm Polycarbonate			
HINGES:		Nylon			
HEADBAND:		Not Applicable			
SHELL:		Not Applicable			
HEADHARNESS:		Nylon PVC			
OTHERS:		NONE			
CLEANING INSTRUCTIONS:		See attached brochure			
MAINTENANCE INFORMATION:		See attached brochure			
PACKAGING:		En	Enclosed in plastic bag with Information brochure		
PACKAGING SIZE:		BO	BOX of 34 (Buck)		

Technical documentation according to Annex III of Council Directive 89/686/EEC

This technical documentation contains the essential requirements according to Annex II of the Council Directive 89/686/EEC as well as the means which

ESTABLISSEMENT BOLLE RUE TACON BOITE POSTAL 139 01104 OYONNAX FANCE

has used for the product listed below in order to attain the conformity of this product with the relevant essential requirements.

Product description:

EYE PROTECTOR Type of product ECLIPSE FACESHIELD Model POLYCARBONATE BROWGUARD AND VISOR Material BROWGUARD 6.8 mm VISOR 2.1mm **Thickness** Surface power CLEAR VISOR Colour NOT APPLICABLE Shade number NONE Surface treatment ONE **Optical Class**

INSPEC CERTIFICATION LID

2 2 JUN 1993

No. 1

ECLIPSE FACESHIELD POLYCARBONATE

