



**LEDTRONICS, INC.®**  
THE FUTURE OF LIGHT


[View Cart ::](#)
[Checkout ::](#)


## European Ba7s (7mm) Bayonet LED Lamps

Direct Incandescent Replacement – Up to 90% Energy Savings

Ideal for use with Alternate or Renewable Energy Resources like Solar & Wind Power

Major Energy Reduction, Reduces Light Pollution, "Dark Skies" Initiative Friendly

Replaces Incandescent: 3898



All dimensions in inches. For millimeters multiply by 25.4

Order Mark	Part Number	Retail Price (Volume Price Available)	Min. Order	Electrical-Optical Characteristics (T <sub>a</sub> = 25°C)			Illumination Angle	Custom Options
				Voltage (V) typ	Current (mA) typ	Intensity (mcd)		
<b>Sunlight Visible 630nm Super Red AllnGaP BSF271</b>								
	BSF271-0ER-006B	\$7.50ea	5	6V	20	450	120°	Center Contact Polarity, B = BiPolar
	BSF271-0ER-012B	\$7.50ea	5	12V	20	450		
	BSF271-0ER-024B	\$7.50ea	5	24V	15	335		
<b>Sunlight Visible 595nm Super Yellow InGaAlP BSF271</b>								
	BSF271-0UY-006B	\$7.50ea	5	6V	20	380	120°	Center Contact Polarity, B = BiPolar
	BSF271-0UY-012B	\$7.50ea	5	12V	20	380		
	BSF271-0UY-024B	\$7.50ea	5	24V	15	285		
<b>Sunlight Visible 3000K Incandescent Warm White SiC/GaN BSF271</b>								
	BSF271-2IW-006B	\$9.50ea	5	6V	15	280	120°	Center Contact Polarity, B = BiPolar
	BSF271-2IW-012B	\$9.50ea	5	12V	15	280		
	BSF271-2IW-024B	\$9.50ea	5	24V	15	280		
<b>Sunlight Visible 8000K Cool White SiC/GaN BSF271</b>								
	BSF271-0CW-006B	\$9.50ea	5	6V	15	300	120°	Center Contact Polarity, B = BiPolar
	BSF271-0CW-012B	\$9.50ea	5	12V	15	300		
	BSF271-0CW-024B	\$9.50ea	5	24V	15	300		
<b>Sunlight Visible 525nm Aqua Green SiC/GaN BSF271</b>								
	BSF271-0AG-006B	\$9.50ea	5	6V	15	400	120°	Center Contact Polarity, B = BiPolar
	BSF271-0AG-012B	\$9.50ea	5	12V	15	400		
	BSF271-0AG-024B	\$9.50ea	5	24V	15	400		
<b>Sunlight Visible 470nm Super Blue SiC/GaN BSF271</b>								
	BSF271-0PB-006B	\$9.50ea	5	6V	15	125	120°	Center Contact Polarity, B = BiPolar
	BSF271-0PB-012B	\$9.50ea	5	12V	15	125		

BSF271-0PB-024B	\$9.50ea	5	24V	15	125	
-----------------	----------	---	-----	----	-----	--

[Return to Top](#)

23105 Kashiwa Ct, Torrance, CA 90505 - PH: (800) 579-4875/(310) 534-1505 - FAX: (310) 534-1424  
© Copyright 1997-2003 LEDtronics, Inc. All Rights Reserved - Contact [Webmaster@ledtronics.com](mailto:Webmaster@ledtronics.com)

# i2 Technologies US, Inc.

## HTML Pages converted to PDF Document

This document contains component information from the manufacturer's website which are not available in a revision controlled document from the manufacturer. To facilitate the addition of these parts into the Electronics Database, we are converting the HTML pages related to that part, from the manufacturer's website into Adobe PDF format. The contents of this document is based on the information provided on the manufacturer's website, therefore the information may have been changed by the manufacturer since this was created.

