

DB-54008L-406

RF POWER amplifier using 1 x PD54008L N-Channel enhancement-mode lateral MOSFETs

General feature

■ Excellent thermal stability

Frequency: 406 MHz
Supply voltage: 7.5V
Output power: 7W
Power gain: 13dB
Efficiency: 60%
Load mismatch: 20:1


Description

■ Beo free amplifier

The DB-54008L-406 is a common source N-Channel Enhancement-Mode Lateral Field Effect RF power amplifier designed for Marine applications such as EPIRB

Order Code

■ DB-54008L-406



Contents DB-54008L-406

Contents

1	Electrical data	3
	1.1 Maximum ratings	3
2	Electrical characteristics	4
3	Typical performance	5
4	Circuit layout	7
5	Mounting indications	8
6	Mechanical data	9
7	Revision history	12

DB-54008L-406 Electrical data

1 Electrical data

1.1 Maximum ratings

Table 1. Absolute maximum ratings

Symbol	Parameter	Value	Unit
V _{DD}	Supply voltage	16	V
I _D	Drain current	2.5	А
P _{DISS}	Power dissipation	8	W
T _{CASE}	Operating case temperature	-20 to +85	°C
T _A	Max. ambient temperature	+55	°C

Electrical characteristics DB-54008L-406

2 Electrical characteristics

$$T_A = +25$$
 °C, $V_{DD} = 7.5$ V, $I_{DQ} = 100$ mA

Table 2. Electrical Specification

Symbol	Test Conditions	Min.	Тур.	Max.	Unit
Freq	Frequency range	400	406	420	MHz
P _{OUT}		7			W
Gain	@ P _{OUT} = 7W		13		dB
ND	@ P _{OUT} = 7W		60		%
Gain Flatness	@ P _{OUT} = 7W			± 0.2	dB
H2	2 ND Harmonic @ P _{OUT} = 7W		-57	-50	dBc
H3	3 RD Harmonic @ P _{OUT} = 7W		-65	-60	dBc
VSWR	Load mismatch all phases @ P _{OUT} = 7W			20:1	

3 Typical performance

Figure 1. P_{OUT} vs. pin & frequency Figure 2. Efficiency vs.





Figure 3. Output power & efficiency vs. Figure 4. Output power & Efficiency vs. frequency




5/

Typical performance DB-54008L-406

Figure 5. Input return loss vs. frequency

Figure 6. Harmonics vs. frequency



Circuit layout DB-54008L-406

Circuit layout 4

Figure 7. **Circuit layout**






Figure 8. Test circuit photomaster



5 Mounting indications

Figure 9. Standard SMD mounting



DB-54008L-406 Mechanical data

6 Mechanical data

In order to meet environmental requirements, ST offers these devices in ECOPACK® packages. These packages have a Lead-free second level interconnect . The category of second level interconnect is marked on the package and on the inner box label, in compliance with JEDEC Standard JESD97. The maximum ratings related to soldering conditions are also marked on the inner box label. ECOPACK is an ST trademark. ECOPACK specifications are available at: www.st.com


9/13

Mechanical data DB-54008L-406

Table 3. PowerFLAT™ Mechanical data

Dim.	mm			inch			
	Min.	Тур.	Max.	Min.	Тур.	Max.	
Α		0.90	1.00		0.035	0.039	
A1		0.02	0.05		0.001	0.002	
А3		0.24			0.009		
AA	0.15	0.25	0.35	0.006	0.01	0.014	
b	0.43	0.51	0.58	0.017	0.020	0.023	
С	0.64	0.71	0.79	0.025	0.028	0.031	
D		5.00			0.197		
d		0.30			0.011		
Е		5.00			0.197		
E2	2.49	2.57	2.64	0.098	0.101	0.104	
е		1.27			0.050		
f		3.37			0.132		
g		0.74			0.03		
h		0.21			0.008		

Figure 10. PowerFLAT™ Package dimensions




DB-54008L-406 Mechanical data

Table 4. PowerFLAT™ Tape & reel dimensions

Dim.	mm.			inch		
	Min.	Тур	Max.	Min.	Тур	Max.
Ao	5.15	5.25	5.35	0.12	0.13	0.13
Во	5.15	5.25	5.35	0.12	0.13	0.13
Ko	1.0	1.1	1.2	0.02	0.02	0.02

Figure 11. PowerFLAT™ Tape & reel



Revision history DB-54008L-406

7 Revision history

Table 5. Revision history

Date	Revision	Changes
8-Mar-2006	1	Initial release.

Please Read Carefully:

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND/OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

UNLESS EXPRESSLY APPROVED IN WRITING BY AN AUTHORIZE REPRESENTATIVE OF ST, ST PRODUCTS ARE NOT DESIGNED, AUTHORIZED OR WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PRODUCTS OR SYSTEMS, WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2006 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan - Malaysia - Malta - Morocco - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com

