


Measuring leads



Product description

Measuring leads connect hardware items such as machines, test equipment, measuring instruments, experimental set-ups, etc. A variety of types permits optimised cable layouts, expansion facilities through stacking and use in differing voltage ranges.

The selection of special-purpose insulating material and cross-sections ensures adaptability and high loading capacities. A special cable configuration incorporates a white tell-tale


mark, indicating possible mechanical damage and a consequential risk to the user. Testing leads, which are typical accessories for multimeters, consist of measuring leads with test probes.

*System	Article type	Length "L" in cm	Technical Data	Order no. Colour
	MLS GG 25/1	25 cm	1 mm ² , PVC 16 A	934 070-Colour** ● ● ● ●
	MLS GG 25/2,5	25 cm	2,5 mm ² , PVC 32 A	934 071-Colour** ● ● ● ● ◐
	MLS GG 50/1	50 cm	1 mm ² , PVC 16 A	934 072-Colour** ● ● ● ●
	MLS GG 50/2,5	50 cm	2,5 mm ² , PVC 32 A	934 073-Colour** ● ● ● ● ◐
	MLS GG 100/1	100 cm	1 mm ² , PVC 16 A	934 074-Colour** ● ● ● ●
	MLS GG 100/2,5	100 cm	2,5 mm ² , PVC 32 A	934 075-Colour** ● ● ● ● ◐
	MLS GG 200/1	200 cm	1 mm ² , PVC 16 A	934 076-Colour** ● ● ● ●
	MLS GG 200/2,5	200 cm	2,5 mm ² , PVC 32 A	934 077-Colour** ● ● ● ● ◐

* System: (64) = 0.64 mm system / (2) = 2 mm system / (4) = 4 mm system / (●) = 4 mm safety system / (◐) = 4 mm sliding sleeve system

** Colour: ● -100 ● -101 ● -102 -103 ● -104 ● -188

Measuring leads



*System	Article type	Length "L" in cm	Technical Data	Order no. Colour
	MLS WG 25/1	25 cm	1 mm², PVC 16 A	934 078-Colour** ● ● ● ● ●
	MLS WG 25/2,5	25 cm	2,5 mm², PVC 32 A	934 079-Colour** ● ● ● ● ● ●
	MLS WG 50/1	50 cm	1 mm², PVC 16 A	934 080-Colour** ● ● ● ● ●
	MLS WG 50/2,5	50 cm	2,5 mm², PVC 32 A	934 081-Colour** ● ● ● ● ● ●
	MLS WG 100/1	100 cm	1 mm², PVC 16 A	934 082-Colour** ● ● ● ● ●
	MLS WG 100/2,5	100 cm	2,5 mm², PVC 32 A	934 083-Colour** ● ● ● ● ● ●
	MLS WG 200/1	200 cm	1 mm², PVC 16 A	934 084-Colour** ● ● ● ● ●
	MLS WG 200/2,5	200 cm	2,5 mm², PVC 32 A	934 085-Colour** ● ● ● ● ● ●

* System: (64) = 0.64 mm system / (2) ≙ 2 mm system / (4) ≙ 4 mm system / (●) ≙ 4 mm safety system / (↔) ≙ 4 mm sliding sleeve system

** Colour: ● -100 ● -101 ● -102 ● -103 ● -104 ● -188




Measuring leads

*System		Article type	Length "L" in cm	Technical Data	Order no. Colour
		MLS WS 25/1	25 cm	1 mm ² , PVC 16 A	934 067-Colour** ● ● ● ●
		MLS WS 25/2,5	25 cm	2,5 mm ² , PVC 32 A	934 086-Colour** ● ● ● ● ●
		MLS WS 50/1	50 cm	1 mm ² , PVC 16 A	934 068-Colour** ● ● ● ●
		MLS WS 50/2,5	50 cm	2,5 mm ² , PVC 32 A	934 087-Colour** ● ● ● ● ●
		MLS WS 100/1	100 cm	1 mm ² , PVC 16 A	934 095-Colour** ● ● ● ●
		MLS WS 100/2,5	100 cm	2,5 mm ² , PVC 32 A	934 088-Colour** ● ● ● ● ●
		MLS WS 200/1	200 cm	1 mm ² , PVC 16 A	934 069-Colour** ● ● ● ●
		MLS WS 200/2,5	200 cm	2,5 mm ² , PVC 32 A	934 089-Colour** ● ● ● ● ●

* System: (64) = 0.64 mm system / (2) = 2 mm system / (4) = 4 mm system / ● = 4 mm safety system / (↔) = 4 mm sliding sleeve system

** Colour: ● -100 ● -101 ● -102 ● -103 ● -104 ● -188

Measuring leads



*System	Article type	Length "L" in cm	Technical Data	Order no. Colour
	MLN 25/1	25 cm	1 mm ² , PVC 16 A	934 058-Colour** ● ● ● ●
	MLN 25/2,5	25 cm	2,5 mm ² , PVC 32 A	934 059-Colour** ● ● ● ● ●
	MLN 50/1	50 cm	1 mm ² , PVC 16 A	934 060-Colour** ● ● ● ●
	MLN 50/2,5	50 cm	2,5 mm ² , PVC 32 A	934 061-Colour** ● ● ● ● ●
	MLN 100/1	100 cm	1 mm ² , PVC 16 A	934 062-Colour** ● ● ● ●
	MLN 100/2,5	100 cm	2,5 mm ² , PVC 32 A	934 063-Colour** ● ● ● ● ●
	MLN 150/1	150 cm	1 mm ² , PVC 16 A	934 064-Colour** ● ● ● ●
	MLN 200/1	200 cm	1 mm ² , PVC 16 A	934 065-Colour** ● ● ● ●
	MLN 200/2,5	200 cm	2,5 mm ² , PVC 32 A	934 066-Colour** ● ● ● ● ●

* System: (64) = 0.64 mm system / (2) = 2 mm system / (4) = 4 mm system / (●) = 4 mm safety system / (↔) = 4 mm sliding sleeve system

** Colour: ● -100 ● -101 ● -102 ● -103 ● -104 ● -188

* System: (64) = 0.64 mm system / (2) = 2 mm system / (4) = 4 mm system / (●) = 4 mm safety system / (↔) = 4 mm sliding sleeve system

Measuring leads



*System		Article type	Length "L" in cm	Technical Data	Order no. Colour
		MVL 2/25	25 cm	0,5 mm ² , PVC 6 A, 17 mΩ	973 594-Colour** ● ●
		MVL 2/50	50 cm	0,5 mm ² , PVC 6 A, 26 mΩ	973 595-Colour** ● ●
		MVL 2/100	100 cm	0,5 mm ² , PVC 6 A, 44 mΩ	973 596-Colour** ● ●
		MKL 0,64/25-0,25	25 cm	0,25 mm ² , PVC 3 A	973 604-Colour** ● ●
		BNC - AL 0,64	120 cm	RG 58 A/U	933 844-001
		MAL N 4-0,64/100-0,25	100 cm	0,25 mm ² , PVC 3 A	934 160-Colour** ● ●
		LMLH 50		30 plastic brackets	973 919-001

* System: (64) = 0.64 mm system / (2) = 2 mm system / (4) = 4 mm system / (●) = 4 mm safety system / (↔) = 4 mm sliding sleeve system

** Colour: ● -100 ● -101 ● -102 ● -103 ● -104 ● -188