


Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Propriété de ©BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS INC.

BERG
ELECTRONICS

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of ©BERG ELECTRONICS Copyright BERG ELECTRONICS INC.



form no. 7530-001-103

PDM: Rev:T

STATUS:Released

Printed: Nov 06, 2006

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Propriete de ©BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS INC.

BERG
ELECTRONICS

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of ©BERG ELECTRONICS Copyright BERG ELECTRONICS INC.

PRODUCT NUMBER SEE TABLE	PLATING VARIATIONS		PLASTIC COLOR	TERMINAL MATERIAL
DASH NO.	OVERPLATING	UNDERPLATING		
XXXXX-1YY	30u"/0.76u Au	50u"/1.27u Ni	BLACK	3/4 HD PHOS BRONZE
-2YY	15u"/0.38u Au	50u"/1.27u Ni	CREAM	3/4 HD PHOS BRONZE
-3YY	50u"/1.27u Au	50u"/1.27u Ni	NAT'L BROWN	3/4 HD PHOS BRONZE
-4YY	150u"/3.81u 93/7 SnPb		BLACK	3/4 HD PHOS BRONZE
-5YY	15u"/0.38u GXT	50u"/1.27u Ni	DARK BLUE	3/4 HD PHOS BRONZE
-XXXXX-6YY	30u"/0.76u GXT	50u"/1.27u Ni	LIGHT BLUE	3/4 HD PHOS BRONZE

OBSOLETE
OBSOLETE

PART NUMBER INFORMATION
XXXXX-YYY
SEE SHEET 3 FOR PREFIX OF PART NO.
NO OF POSITIONS SEE NOTE 5
TERMINAL PLATING

EXAMPLE: 65580-408 DENOTES AN 8 POSITION PART WITH 150u"/3.81u TIN PLATED TERMINALS. THE OVERALL PLASTIC LENGTH MAY BE 1.050/26.67 MAX. (NOTE 2) THE PLASTIC COLOR IS BLACK.

NOTES

- ① PLASTIC MATERIAL: 20% MIN GLASS FILLED NYLON. RATED PER UL 94V-1.
- ② MEASURED AT DATUM -C- WITH PART IN RESTRAINED CONDITION.
- ③ 5 LBS. / 2.3 KG MINIMUM PIN PUSH-OUT FORCE IN EITHER DIRECTION.
- ④ BERG LOGO MAY APPEAR ON THIS SURFACE
- ⑤ MIN NO. OF POSITIONS - 1. MAX NO. OF POSITIONS - 36.
- ⑥ .060/1.52 MAX AS MOLDED (MOLDED AS 36 POSITIONS ONLY) .085/2.16 MAX WHEN BROKEN TO SPECIFIED LENGTHS.
- ⑦ .050/1.3 MAX FLASH AROUND PINS IN THIS AREA.
- ⑧ TWO SIDES OF LEAD-IN ON PINS NOT PLATED. TYPICAL BOTH ENDS.

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		BERG ELECTRONICS				
lfr	ecn no	dr	date	linear	XX ±.01/X ±.3			projection	BERGSTIK® 1 HEADER .125/3.18cc SR RIGHT ANGLE product family BERGSTIK size dwg no 65580					
P					.XXX ±.005/.XX ±.13									
R					.XXX ±.0020/.XXX ±.051									
					0 ±.2									
				angles				INCH/MM	sheet index revision sheet					
				dr	BK CHUA	15JUL.96	scale							
				engr	JOYCE PEH	15JUL.96								
				chr	JOYCE PEH	15JUL.96								
				appd	MK KAN	15JUL.96		1:1	cage code 22526					
sheet index				revision sheet										

All rights strictly reserved. Reproduction or issue to third parties in any form
 whatever is not permitted without written authority from the proprietor.
 Property of ©BERG ELECTRONICS Copyright BERG ELECTRONICS INC.

BERG
 ELECTRONICS

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite
 sous quelque forme que ce soit sans autorisation écrite du propriétaire.
 Propriété de ©BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS INC.

PRODUCT NO.	TAIL LENGTH DIM A	BEND DIM DIM B	MATING LENGTH DIM C	AVAILABLE PLATING					
				-1XX	-2XX	-3XX	-4XX	-5XX	-6XX
65580-XXX	.135/3.43	.060/1.52	.230/5.84	YES	YES	YES	YES	YES	NO
65581-XXX	.170/4.32	.060/1.52	.230/5.84	YES	YES	YES	YES	NO	NO
65582-XXX	NOT AVAILABLE								
65583-XXX	.285/7.24	.060/1.52	.230/5.84	YES	YES	YES	YES	NO	NO
65584-XXX	NOT AVAILABLE								
65585-XXX	.650/16.51	.060/1.52	.230/5.84	YES	YES	YES	YES	NO	NO
65586-XXX	NOT AVAILABLE								
65587-XXX	NOT AVAILABLE								
65588-XXX	.255/6.48	.185/4.69	.230/5.84	YES	YES	YES	YES	NO	NO
65640-XXX	.104/2.64	.050/1.27	.300/7.62	YES	YES	YES	YES	NO	NO
65622-XXX	.229/5.82	.175/4.45	.300/7.62	YES	YES	YES	YES	NO	NO
65956-XXX	.120/3.05	.060/1.52	.318/8.08	YES	YES	YES	YES	NO	NO
65964-XXX	.255/6.48	.310/7.87	.230/5.84	YES	YES	YES	YES	NO	NO
66488-XXX	NOT AVAILABLE								

OBSOLETE OBSOLETE

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		BERG ELECTRONICS	
ltr	ecr no	dr	date	linear	.XX ± .01 / X ± .3			projection	title		
P					.XXX ± .005 / .XX ± .13				BERGSTIK® I HEADER		
R					.XXX ± .0020 / .XXX ± .051				.125/3.18cc SR RIGHT ANGLE		
					σ ± 2				product family BERGSTIK		
				angles				INCH/MM	size dwg no		
				dr	BK CHUA	15JUL96	scale		A		
				enr	JOYCE PEH	15JUL96			65580		
				chr	JOYCE PEH	15JUL96			sheet 3 of		
				appd	MK KAN	15JUL96					
sheet index	revision sheet									cage code 22526	

form no. 7530-001-103