


SC Connectors

SC Plug - Simplex




Standard ferrule for single mode and for multimode is zirconia.
 Polymer ferrules for multimode on request.
 Standard ferrule hole diameter is 126 µm. For other diameters, consult FCI.
 Cable sizes are standard 2.4 to 3.0 mm.

Part Number (*)		Description
Standard loose piece	One piece outer shell	
SC P 01S0601	SC P 11S0601	SC Plug, Simplex, Single mode, Dome Polish
SC P 01A0601	SC P 11A0601	SC Plug, Simplex, Single mode, Angled Polish
SC P 01M0601	SC P 11M0601	SC Plug, Simplex, Multimode, Dome Polish


(*) Replace last digit by 4 for bare fibre termination.

SC Plug - Duplex



Standard ferrule for single mode and for multimode is zirconia.
 Polymer ferrules for multimode on request.
 Standard ferrule hole diameter is 126 µm.
 For other diameters, consult FCI.
 Cable sizes are standard 2.4 to 3.0 mm.

Simplex, high density (only for duplex horizontal adaptor)




SC Connectors

Part Number (*)		Description	DIM A
Standard loose piece	One piece outer shell		
SC P 02S0601	SC P 12S0601	SC Plug, High Density, Single mode, Dome Polish	—
SC P 02A0601	SC P 12A0601	SC Plug, High Density, Single mode, Angled Polish	—
SC P 02M0601	SC P 12M0601	SC Plug, High Density, Multimode, Dome Polish	—
SC P 03S0601	SC P 13S0601	SC Plug, IEC Duplex, Single mode, Dome Polish	1,7
SC P 03A0601	SC P 13A0601	SC Plug, IEC Duplex, Single mode, Angled Polish	1,7
SC P 03M0601	SC P 13M0601	SC Plug, IEC Duplex, Multimode, Dome Polish	1,7
SC P 04S0601	SC P 14S0601	SC Plug, Fibre Channel Duplex, Single mode, Dome Polish	1,0
SC P 04A0601	SC P 14A0601	SC Plug, Fibre Channel Duplex, Single mode, Angled Polish	1,0

(*) Replace last digit by 4 for bare fibre termination.



SC Adaptor - Simplex



Standard split sleeve for single mode is zirconia and for multimode phosphor bronze.


Part Number	Description
SC A 011	SC Simplex Adaptor, Single mode
SC A 012	SC Simplex Adaptor, Multimode

SC Adaptor - Duplex




Standard split sleeve for single mode is zirconia and for multimode phosphor bronze.

SC Connectors



Part Number	Description	DIM A
SC A 021	SC Duplex horizontal adaptor, Single mode	–
SC A 022	SC Duplex horizontal adaptor, Multimode	–
SC A 041	SC Adaptor, Fibre Channel Duplex vertical, Single mode	1,4
SC A 031	SC Duplex vertical adaptor, Single mode	2,1
SC A 032	SC Duplex vertical adaptor, Multimode	2,1

Conversion adaptors for ST®II and FC/PC connectors



Part Number	Description
SC A 051	SC - ST*II adaptor
SC A 061	SC - FC adaptor

