









# StackLED® LED Lamps

U.S. Patent No. 5,577,832; Des. 404,506

Series STL602 (15mm DC Bayonet Base)		BA15D	Part Number	LED Color Code*	Volts**	Current (mA)	Total mcd	Use on†
 	STL602-01-01	RED ●	24V BP	60	1475	<b>Siemens</b>  <b>Square D Company/ Telemecanique Inc. (XVAL series)</b>  <b>PATLITE/Sasaki Electric (LH &amp; WM series)</b>  <b>Joslyn Clark (SL System)</b>  <b>Tork</b>  <b>Klockner Moeller</b>  <b>Werma</b>		
	STL602-02-01	ORANGE ●	24V BP	60	850			
	STL602-03-01	GREEN ●	24V BP	45	4800			
	STL602-04-01	YELLOW ●	24V BP	60	1400			
	STL602-05-01	BLUE ●	24V BP	45	1525			
	STL602-06-01	WHITE ○	24V BP	45	1920			
	STL602-01-02	RED ●	120VAC	20	1475			
	STL602-02-02	ORANGE ●	120VAC	20	850			
	STL602-03-02	GREEN ●	120VAC	15	4800			
	STL602-04-02	YELLOW ●	120VAC	20	1400			
	STL602-05-02	BLUE ●	120VAC	15	1525			
	STL602-06-02	WHITE ○	120VAC	15	1920			
	STL602-01-03	RED ●	12V BP	60	1475			
	STL602-02-03	ORANGE ●	12V BP	60	850			
	STL602-03-03	GREEN ●	12V BP	90	4800			
	STL602-04-03	YELLOW ●	12V BP	60	1400			
	STL602-05-03	BLUE ●	12V BP	90	1525			
	STL602-06-03	WHITE ○	12V BP	90	1920			
 	STL603-01-01	RED ●	24V BP	60	1475	<b>PATLITE/Sasaki Electric (ST series)</b>		
	STL603-02-01	ORANGE ●	24V BP	60	850			
	STL603-03-01	GREEN ●	24V BP	45	4800			
	STL603-04-01	YELLOW ●	24V BP	60	1400			
	STL603-05-01	BLUE ●	24V BP	45	1525			
	STL603-06-01	WHITE ○	24V BP	45	1920			
	STL603-01-02	RED ●	120VAC	20	1475			
	STL603-02-02	ORANGE ●	120VAC	20	850			
	STL603-03-02	GREEN ●	120VAC	15	4800			
	STL603-04-02	YELLOW ●	120VAC	20	1400			
	STL603-05-02	BLUE ●	120VAC	15	1525			
	STL603-06-02	WHITE ○	120VAC	15	1920			
	STL603-01-03	RED ●	12V BP	60	1475			
	STL603-02-03	ORANGE ●	12V BP	60	850			
	STL603-03-03	GREEN ●	12V BP	90	4800			
	STL603-04-03	YELLOW ●	12V BP	60	1400			
	STL603-05-03	BLUE ●	12V BP	90	1525			
	STL603-06-03	WHITE ○	12V BP	90	1920			
 	STL609-01-01	RED ●	24V BP	60	1475	<b>PATLITE/Sasaki Electric (ST series)</b>		
	STL609-02-01	ORANGE ●	24V BP	60	850			
	STL609-03-01	GREEN ●	24V BP	45	4800			
	STL609-04-01	YELLOW ●	24V BP	60	1400			
	STL609-05-01	BLUE ●	24V BP	45	1525			
	STL609-06-01	WHITE ○	24V BP	45	1920			
	STL609-01-02	RED ●	120VAC	20	1475			
	STL609-02-02	ORANGE ●	120VAC	20	850			
	STL609-03-02	GREEN ●	120VAC	15	4800			
	STL609-04-02	YELLOW ●	120VAC	20	1400			
	STL609-05-02	BLUE ●	120VAC	15	1525			
	STL609-06-02	WHITE ○	120VAC	15	1920			
	STL609-01-03	RED ●	12V BP	60	1475			
	STL609-02-03	ORANGE ●	12V BP	60	850			
	STL609-03-03	GREEN ●	12V BP	90	4800			
	STL609-04-03	YELLOW ●	12V BP	60	1400			
	STL609-05-03	BLUE ●	12V BP	90	1525			
	STL609-06-03	WHITE ○	12V BP	90	1920			

\* Color codes listed reflect the status indicator lens colors.

\*\* BP (Bipolar) can be used with AC or DC power

† Part numbers listed are recommended retrofits to a specific manufacturer's stack holder model and are designed specifically to operate in those models

Specifications subject to change without notice.

• All Lamps are Bipolar (AC & DC Compatible)

• Three-Year Lamp Warranty

**LEDTRONICS, INC.®**  
THE FUTURE OF LIGHT



23105 Kashiwa Court, Torrance, CA 90505  
 Phone: (800) 579-4875 or (310) 534-1505  
 Fax: (310) 534-1424  
 E-mail: webmaster@ledtronics.com  
 Website: www.ledtronics.com

Log # 015B Rev 09-2000