


LED Backlight for LCD Display

TYPE NO.	LIGHTING AREA (mm)	NO. OF LED DICE (pcs)	λ_p (μm)	V_F typ (V)	I_F	I_R max (μA)	V_R	BRIGHTNESS (cd/m^2)	CASE NO.
					(mA)		(V)		
435G	91.2 x 18.2	26	565	4.1	130	130	10	50	3-1
057-2G	54.0 x 15.0	18	565	4.1	90	90	10	60	3-2
610G	140.0 x 30.0	96	565	4.1	480	480	10	50	3-3
1611G	65.0 x 13.8	22	565	4.1	110	110	10	50	3-4
1620G	64.5 x 13.8	20	565	4.1	100	100	10	60	3-5
1621-2G	63.2 x 16.6	20	565	4.1	100	100	10	60	3-6
1623G	59.0 x 22.0	20	565	4.1	100	100	10	60	3-7
1641G	66.9 x 29.4	44	565	4.1	220	220	10	60	3-8
2021-1G	86.8 x 22.1	42	565	4.1	210	210	10	60	3-9
2023G	125.6 x 23.1	60	565	4.1	300	300	10	50	3-10
2041GB	81.1 x 29.4	48	565	4.1	240	240	10	60	3-11
2421G	96.5 x 18.5	48	565	4.1	240	240	10	50	3-12
3291G	50.0 x 18.8	16	565	4.1	80	80	10	60	3-13
4001G	69.5 x 39.5	66	565	4.1	330	330	10	60	3-14
4003-2G	90.0 x 37.0	84	565	4.1	420	420	10	60	3-15
4041G	147.0 x 29.5	120	565	4.1	600	600	10	50	3-16
4321GV1	146.3 x 46.2	114	565	4.1	570	570	10	50	3-17


Remark : Red, Yellow and Orange colour of all backlight display will be supplied on request.

Mechanical Outlines


CASE 3-1



CASE 3-2




CASE 3-3




Unit : mm (inch)

Mechanical Outlines


CASE 3-4



CASE 3-5




CASE 3-6




Unit : mm (inch)

Mechanical Outlines


CASE 3-7



CASE 3-8




CASE 3-9




Unit : mm (inch)

Mechanical Outlines


CASE 3-10



CASE 3-11




CASE 3-12




Unit : mm (inch)

Mechanical Outlines


CASE 3-13



CASE 3-14




CASE 3-15




Unit : mm (inch)

Mechanical Outlines

CASE 3-16



CASE 3-17



Unit : mm (inch)