







View A




View B



Detail D1
Scale 10:1

Detail D2
Scale 10:1

- 1) Space for marking
-Catalogue number
-Traceability code acc. to IEC 62
(year, month, day, shift of final assembly)
- 2) Premating contacts according to table or
customer specification.
All contacts per column should have the same length.
- 3) Row A..Row D



Space for marking 1)

Cross reference tabel				
Tyco Electronics part number	old part number	contact assignment 2) 3)	Card thickness	Performance level
9-1393754-8	V23500-D2113-M410	+++++	WW	2
9-1393754-9	V23500-D2113-M411	+++++	N	2
1393755-8	V23500-D2123-M411	V+++++	N	2
1-1393755-9	V23500-D9001-M411	+++++VVVV	N	2
2-1393755-1	V23500-D9002-M411	+++++V++++	N	2
Active part numbers. Contact Tyco Electronics for other configuration availability		+ = contact x = 14.5 V = premating contact x = 16.25		

Plug-in card thickness					
	Dim a	Dim b	Dim c	Dim d	Dim e
1 Narrow	1.4 ... 3.3	17.85	17.15	4.35	3.3
2 Wide	2.4 ... 4.3	18.35	18.15	5.35	4.3
0 without wall	XXX	14.20	13.50	XXX	XXX

Performance level	
1	Au + Pd or Au
2	Au + Pd or Au

Dimensions are reference dimensions
Footprint see 114-90002 (V23500-D211*-M411*-74B9)

PROPRIETARY THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.				CHANGES TO THIS DRAWING MUST BE DONE ONLY IN CAD		PAPER SIZE A2	
APPLICABLE SPEC.:				FINISH		DIMENSIONS APPLY	
Tyco Electronics Corporation Oostkamp - Belgium				SCALE 5:1 10:1 2:1		WEIGHT	
DATE 27.1.98 NAME E.Gillenbergh APP.				MATERIAL		NO.	
B SR10-0289-01 03.05.01 BK A1 WO 00/2028 06.09.00 BK A WO 00/2021 15.06.00 BK 02 WS99/021 28.3.99 EG 01 WS98/097 2.9.98 EG 55 22.4.98 EG 54 6.2.98 EG				TOLERANCE UNLESS SPECIFIED OTHERWISE		NAME DensiPac Male 1.25 / 4rows / S 1 SU	
REV. CHANGE ORDER DATE APP.				NO. V23500-D*1*-M411*-7626		SHT. 1 OF 1	
Customer drawing C9-1393754-8							

[Products](#) | [Brands](#) | [Industries](#) | [Customer Service](#) | [About](#)

- [Home](#)
- [Part Number Search](#)
- [Text Search](#)
- [Alternate Part Search](#)
- [Multiple Part Comparison](#)
- [Alphabetical Search](#)
- [Brand Search](#)
- [Industry Product Search](#)
- [Product Type Search](#)
- [Product Family Search](#)
- [Competitor Cross Reference](#)
- [Document Number Search](#)
- [Lead Free Solutions](#)
- [Help/Glossary](#)

Current Brand View

AMP

[View All Tyco Electronics Brands](#)

Click to activate links to all other products

DensiPac and SIPAC Products

DensiPac Connectors

AMP

9-1393754-9 -- 1 of 2 products

Active

[Active](#)

(Tyco Electronics P/N: 9-1393754-9)

Next	Sales Information	AMP ACES	Step Search Screen
		Related Documents	General Information
		Pricing	Product Availability

Please use the customer drawing for all design activity.

■ **Customer Drawing: 9-1393754-8, Rev. B**

Document Title: Densipac male 1.25 / 4rows / S / 1 SU

[214181.pdf](#) [214181.pdf](#) (97K)

The photographs and/or line drawings below are representative images of a product for viewing purposes only.

[Isometric Drawing](#)

[Schematic](#)

[PCB Layout](#)

Searchable Features:	
Brand:	AMP
Connector Type:	Male
No. of Rows:	4
PCB Mount Style:	Surface Mount
Wall:	With
Plug In Thickness:	Narrow

Other Properties:	
Contact Mating Area Plating:	Ni/PdNi/Au or Ni/Au
Termination End Plating:	Tin-Lead over Nickel
Pre-Mating Contacts:	None
Packaging Method:	Tape & Reel
Connector Length (mm [in]):	25.00 [.984] (1 System Unit)
Contact Length:	14.50 [.571]
Housing Material:	Glass Filled LCP
Housing Flammability Rating:	UL 94V-0
Contact Material:	High Tensile Copper Alloy
Pitch (mm [in]):	1.25 [.049]
Pitch Between Rows:	2.50 [.098]
Pitch Per Module:	25.00 [.984]

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Brands](#) | [Industries](#) | [Customer Service](#) | [About](#) | [Home](#)