



## Non-Shorting Dust Cap for SMA Male With 2.7 Inch Chain

## **TECHNICAL DATA SHEET**

PE6019

## Non-Shorting Dust Cap for SMA Male With 2.7 Inch Chain

Configuration

Connector SMA Male Non-Shorting

Chain Option 2.7 In. Chain

**Mechanical Specifications** 

Temperature

Operating Range, deg C -65 to +165

Size

Length, in [mm] 0.461 [11.71] Width, in [mm] 0.315 [8]

Connector

Type SMA Male Non-Shorting

Coupling Nut Material and Plating Brass, Nickel
Coupling Nut Plating Specification Brass, Nickel
100µ In. Minimum

Hex Size, Inch
Torque, in-lbs [Nm]
Body Material and Plating
Body Plating Specification

5/16
5 [0.57]
Brass, Nickel
100µ In. Minimum

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant Yes

Plotted and Other Data

Notes: Values at 25 °C, sea level

Non-Shorting Dust Cap for SMA Male With 2.7 Inch Chain from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Non-Shorting Dust Cap for SMA Male With 2.7 Inch Chain PE6019

URL: http://www.pasternack.com/50-ohm-sma-male-non-shorting-cap-with-2.5-inch-chain-pe6019-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



PE6019 CAD Drawing
Non-Shorting Dust Cap for SMA Male With 2.7 Inch Chain

