


© 1969 BY AMP INCORPORATED. ALL RIGHTS RESERVED. AMP
PRODUCTS COVERED BY PATENTS AND/OR PATENTS PENDING.

Unpublished copy not to be reproduced
without written permission of AMP Incorporated

REVISIONS				
ZONE	LTR	DESCRIPTION	DATE	APPROVED
	01	TITLE WAS "ASSEMBLED KITS" A-11A DB	9/16/69	ASPM
	A	.242 WAS .261 ECN F-488	6/21/78	AM 212
	B	OBSOLETE G--3 ECN H-911	7/27/81	AM QS
	C	OBSOLETE -1476-2, 6-4, 6-6-7-2/1938	3/18/86	MPH AS
	D	REV PER 063D-276-01	CT 8-01	CT



1 THE TIP OF THE CONTACT POSTS WILL FALL WITHIN .025 DIA.
TRUE POSITION OF EACH OTHER.

"A"	NUMBER OF TERMINATIONS	TYPE OF POST
.242	1	.025 x .025
.456	2	POST
.670	3	POST
.220	1	.022 x .036
.370	2	POST
.520	3	POST

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON : DECIMALS ± .005 ANGLES ± .005	CONTRACT NO. DR J. Saylor 6-25-69 CHK R. Miller 6-30-69 APPD K. Jones 7-7-69 REL R. Boney 7-21-69 DSGN APPD R. Boney 7-21-69 OTHER APPD	AMP INCORPORATED HARRISBURG, PENNSYLVANIA	
MATERIAL #	NAME 24 POSITION, HDR, PLUG, LOADED BLOCK	SIZE C	CODE IDENT NO. 00779
	NUMBER 204462	SCALE 1/1	SHEET 1 OF 4

CUSTOMER DRAWING

NUMBER 204462

B

A

REVISIONS				
ZONE	LTR	DESCRIPTION	DATE	APPROVED


[illegible]

CVST
204462

PRINT DIST

~~OBSCURE~~

REVISIONS				
ZONE	LTR	DESCRIPTION	DATE	APPROVED
		SEE SHT. #1		



B	1-204330-2	SOCKET ASSY .025 x .025 POST	GOLD / NI	3	TERMINATIONS	58
B	1-1	-1	GOLD / NI	2		57
B	1-1	-0	GOLD / NI	1		56
B		-9	SEL GOLD	3		55
B		-8	SEL GOLD	2		54
B		-7	SEL GOLD	1		53
B		-3	TIN	3		52
B		-2	TIN	2		51
B	204330-1	SOCKET ASSY .025 x .025 POST	TIN	1	TERMINATIONS	50
B	204292-9	SOCKET ASSY .022 x .036 POST	SEL GOLD	3	TERMINATIONS	49
B		-8	SEL GOLD	2		48
B		-7	SEL GOLD	1		47
B		-6	TIN	3		46
B		-5	TIN	2		45
B		-4	TIN	1		44
B		-3	GOLD / NI	2		43
B		-2	GOLD / NI	2		42
B	204292-1	SOCKET ASSY .022 x .036 POST	GOLD / NI	1	TERMINATIONS	41
B	204329-9	PIN ASSY .025 x .025 POST	SEL GOLD	3	TERMINATIONS	37
B		-8	SEL GOLD	2		36
B		-7	SEL GOLD	1		35
B		-3	TIN	3		34
B		-2	TIN	2		33
B	204329-1	PIN ASSY .025 x .025 POST	TIN	1	TERMINATIONS	32
		90° SHIELD-1 PC				22
		90° SHIELD-1 PC				21
		180° SHIELD-1 PC				20
		180° SHIELD-1 PC				19
		45° SHIELD-2 PC				18
		45° SHIELD-2 PC				17
		180° SHIELD-2 PC				16
		180° SHIELD-2 PC				15
		STRAIN RELIEF ASSY-LONG				14
		STRAIN RELIEF ASSY-SHORT				13
		GUIDE PIN ASSY-CENTER	BRASS-CAD.PL			12
		GUIDE PIN ASSY-CENTER	STAINLESS STEEL			11
		GUIDE SOCKET ASSY-CENTER	BRASS-CAD.PL			10
		GUIDE SOCKET ASSY-CENTER	STAINLESS STEEL			9
		FIXED JACKSCREW ASSY-FEMALE	STEEL-CAD.PL			8
		FIXED JACKSCREW ASSY-MALE	STEEL-CAD.PL			7
		JACKSCREW ASSY-SHORT	MALE-STEEL-CAD.PL			6
		JACKSCREW ASSY-SHORT	MALE-STAINLESS STEEL			5
		JACKSCREW ASSY-LONG	MALE-STEEL-CAD.PL			4
		JACKSCREW ASSY-LONG	MALE-STAINLESS STEEL			3
C	2-204281-4	BLOCK	DIALYL PHTHALATE-BLUE			2
C	204281-4	BLOCK	PHENOLIC-BLACK			1
DWG SIZE	PART OR IDENTIFYING NUMBER	NOMENCLATURE OR DESCRIPTION	REMARKS			ITEM NO.

OBSOLETE

PR R. Boney 6-9-69	PR R. Miller 6-13-69	APP K. Jones 6-14-69	REL L. Boney 7-21-69
-----------------------	-------------------------	-------------------------	-------------------------

PARTS LIST			
LOC B DE	SIZE C	CODE IDENT 00779	DWG NO. 204462
SCALE		REV D	
		SHEET 3 OF 4	

© 1969 BY AMP INCORPORATED. ALL RIGHTS RESERVED. AMP PRODUCTS COVERED BY PATENTS AND/OR PATENT PENDING.
No part of this drawing is to be reproduced nor published without the written permission of AMP Incorporated.

ZONE		LTR	REVISIONS		DESCRIPTION	DATE	APPROVED
					SEE SHT #1		
