

## Fiber Optic Products

### Fiber Optic Cable Assemblies

AMP 2-504958-5 Active [Active](#)

[Not Reviewed for ELV/RoHS Compliance](#)

**(Tyco Electronics P/N: 2-504958-5)**

[Search for Parts](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
<a href="#">General Info</a> <a href="#">Sales Info</a> <a href="#">Assembly Subcontractors</a>	<a href="#">Pricing</a> <a href="#">Product Availability</a>	<a href="#">Tooling</a>

**Photos & Line Drawings** - The photographs and/or line drawings are representative images of a product for viewing purposes only.

[Product Photo](#)

### Searchable Features:

<b>Brand:</b>	AMP
<b>Product Type:</b>	Cable Assembly
<b>Cable Assembly Type:</b>	SC Duplex to ST-Style (2.5mm Bayonet)
<b>Fiber Type:</b>	62.5/125
<b>Mode:</b>	Multimode
<b>Cable Type:</b>	Zipcord
<b>Cable Diameter (mm [in]):</b>	3.00 [.118]
<b>No. of Fibers:</b>	2
<b>Flammability Rating:</b>	Riser (UL OFNR/CSA FT-4)
<b>Cable Buffering:</b>	Tight

### Other Properties:

<b>AMP Logo:</b>	Without
<b>Coupling Nut Material:</b>	Nickel Plated Zinc

<b>Cable Color:</b>	Orange
<b>Length (M [ft]):</b>	25.00 [82.02]
<b>Mode Conditioned Launch Cable Assembly:</b>	No
<b>Connector(s) Exit Angle to Connector(s) Exit Angle:</b>	180° to 180°
<b>Boot Body Style - Left:</b>	Long
<b>Boot Color - Left:</b>	Beige
<b>Boot Body Style - Right:</b>	Standard
<b>Boot Color - Right:</b>	Black & Beige
<b>Ferrule Material:</b>	Ceramic
<b>Fibre Channel:</b>	No

---

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Contact Us](#) | [About](#) | [Home](#)

# i2 Technologies US, Inc.

## HTML Pages converted to PDF Document

This document contain component information from the manufacturer's website which are not available in a revision controlled document from the manufacturer. To facilitate the addition of these parts into the Electronics Database, we are converting the HTML pages related to that part, from the manufacturer's website into Adobe PDF format. The contents of this document is based on the information provided on the manufacturer's website, therefore the information may have been changed by the manufacturer since this was created.

