



SMP Male Full Detent Shroud 2 Hole Flange  
Mount 0.481 Inch Hole Spacing

TECHNICAL DATA SHEET

PE44916

**Configuration**

Connector	SMP Male, Full Detent
Connector Specification	MIL-STD-348
Connector Interface Type	None
Attachment Method (Shield/Contact)	None
Body Style	Straight
Mount Method	2 Hole Flange

**Electrical Specifications**

Impedance	50 Ohms
-----------	---------

**Mechanical Specifications**

**Size**

Length	0.625 in [15.88 mm]
Width/Dia.	0.165 in [4.19 mm]
Height	0.12 in [3.05 mm]
Weight	0.082 lbs [37.19 g]

**Connector**

Type	SMP Male
Body Material and Plating	Passivated Stainless Steel
Body Plating Specification	QQ-P-35

**Compliance Certifications** (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)


RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [SMP Male Full Detent Shroud 2 Hole Flange Mount 0.481 Inch Hole Spacing PE44916](#)



# PE44916 CAD Drawing

SMP Male Full Detent Shroud 2 Hole Flange Mount 0.481 Inch Hole Spacing



DWG TITLE

**PE44916**

FSCM NO. 53919

CAD FILE 103013

SCALE N/A

SIZE A

150

NOTES:  
 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  
 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  
 3. DIMENSIONS ARE IN INCHES [mm].



Pasternack Enterprises, Inc.  
 P.O. Box 16759 | Irvine | CA | 92623

Phone: (949) 261-1920 | Fax: (949) 261-7451  
 Website: www.pasternack.com | E-Mail: sales@pasternack.com