Multilayer Ceramic Chip Capacitors

TDK item description C1608X7R1H103KT****









C1608X7R1H103K080AA

Applications	Commercial Grade Please refer to Part No. CGA3E2X7R1H103K080AA for Automotive use.	
Feature	General (Up to 50V)	
Series	C1608 [EIA 0603]	
Status	Production (Not Recommended for New Design)	



	Size
Length(L)	1.60mm ±0.10mm
Width(W)	0.80mm ±0.10mm
Thickness(T)	0.80mm ±0.10mm
Terminal Width(B)	0.20mm Min.
Terminal Spacing(G)	0.30mm Min.
Recommended Land Pattern (PA)	0.70mm to 1.00mm(Flow Soldering)
Neconimented Land Fattern (FA)	0.60mm to 0.80mm(Reflow Soldering)
Recommended Land Pattern (PB)	0.80mm to 1.00mm(Flow Soldering)
Neconimended Land Facterii (FB)	0.60mm to 0.80mm(Reflow Soldering)
Recommended Land Pattern (PC)	0.60mm to 0.80mm(Flow Soldering)
necommended Land rattern (r.C)	0.60mm to 0.80mm(Reflow Soldering)

Electrical Characteristics		
Capacitance	10nF ±10%	
Rated Voltage	50VDC	
Temperature Characteristic	X7R(±15%)	
Dissipation Factor (Max.)	3%	
Insulation Resistance (Min.)	10000ΜΩ	

Other	
Caldarina Makhad	Wave (Flow)
Soldering Method	Reflow
AEC-Q200	No
Packing	Punched (Paper)Taping [180mm Reel]
Package Quantity	4000pcs

[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

C1608X7R1H103K080AA














Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)














[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

C1608X7R1H103K080AA










Associated Images



[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.