Link Com LinkCom Manufacturing Co., Ltd

Model NO.	LSP200228001	Model Name	LED Power Supply
Part NO.	PLSP200228001	SIZE	130.7 * 31.1 * 24.7 mm 【5.15 * 1.22 * 0.97 inch】



FEATURES

♦ AC Input 90~264Vac

◆ Protection: SCP / OVP / OCP

♦ High Operating ambient Temp: -20°C ~ +60°C

◆ Safety: PSE◆ EMC: Meet CE

◆ Comply with Indoor/Outdoor Waterproof (IP 67)
 ◆ Dimension (L*W*H): 130.7 * 31.1 * 24.7 mm

◆ Dimension (L*W*H): 5.15 * 1.22 * 0.97 inch

◆ ROHS Compliant

Module: LSP200228001 *,# =SEE NOTES BELOW LSP200228001 MODEL SPECIFICATION min. nrom. max. DC OUTPUT VOLTAGE (V) 20 28 PRESET ACCURACY (%) *(8) OUTPUT CURRENT(A) *(5) 0.8 O/P NOISE (P-P, mV) *(3) 200 LINE REGULATION (%) *(7) 5 LOAD REGULATION (%) *(6) 5 DC OUTPUT POWER 22.4 W EFFICIENCY(typ @Full Load) 83% INPUT VOLTAGE RANGE 90-264VAC, 127-373VDC, Normal: 100-240VAC INPUT FREQUENCY Range:47-63Hz, Normal: 50-60Hz COLD START 50A @ 230VAC INRUSH CURRENT (typ) 0.6A/100VAC AC CURRENT SHORT CIRCUIT PROTECTION short circuit protection will restart automatically after the fault condition is removed OVER CURRENT PROTECTION Constant Current OVER V, PROTECTION Shut down and latch off o/p voltage, re-power on to recover OPERATING TEMP.*(4) -20 to +60 $^{\circ}\text{C}$ @full load STORAGE TEMPERATURE -40 to +80°C RELATIVE HUMIDITY 10 to +90%, non-cond. TEMP. COEFFICIENT 0.03% / °C (0-50°C, typ) SAFETY **PSE** EMI Meet CE EN55022 DIMENSIONS(L*W*H) 130.7 * 31.1 * 24.7 mm [5.15 * 1.22 * 0.97 inch]

NOTES: (1)All parameters not specially mentioned are measured 230VAC input.

- (2)All specifications Typical @25 $^{\circ}$ C, unless otherwise noted, at normal line and load.
- (3)Ripple and Noise measured directly at pins/terminals at nom. load, 0.1uF bypass and 47uF electrolytic, pk-pk @20MHz bandwidth.
- (4) Specified for free-air convection cooling.
- (5)Minimum load is NOT required for proper operation .
- (6)Load regulation measured from 20% to Full load.
- (7)Line regulation measured from 100VAC to 240VAC.
- (8)Preset accuracy measured at normal load, 120VAC input.
- (9)100% Production Tested.

LinkCom Manufacturing Co., Ltd

