

## DETAILS

|                        |                  |
|------------------------|------------------|
| <b>Product Number</b>  | FA10299_OSS-RS   |
| <b>Family</b>          | Rose             |
| <b>Type</b>            | Assembly         |
| <b>Color</b>           | white            |
| <b>Diameter</b>        | 21,6 + 21,6 mm   |
| <b>Height</b>          | 13,9 mm          |
| <b>Style</b>           | square           |
| <b>Optic Material</b>  | PC               |
| <b>Holder Material</b> |                  |
| <b>Fastening</b>       | tape             |
| <b>Status</b>          | production ready |
| <b>ROHS Compliant</b>  | Yes              |
| <b>Date Updated</b>    | 11/04/2016       |

## OPTICAL PROPERTIES


| LED            | Viewing Angle | Light Beam | Efficiency | cd/lm  | Connector |
|----------------|---------------|------------|------------|--------|-----------|
| Golden Dragon+ | 7 deg         | Real spot  | 90 %       | 29.600 | -         |



# Ledil Oy FA10299\_OSS-RS FA10299\_OSS-RS / LDC (Linear)


Luminaire: Ledil Oy FA10299\_OSS-RS FA10299\_OSS-RS

Lamps: 1 x Osram-os Golden Dragon+



# Ledil Oy FA10299\_OSS-RS FA10299\_OSS-RS / LDC (Polar)

Luminaire: Ledil Oy FA10299\_OSS-RS FA10299\_OSS-RS  
Lamps: 1 x Osram-os Golden Dragon+



cd/klm

— C0 - C180

— C90 - C270

**SIMULATED**

**NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.**