


Description: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8





Installed Antenna

All dimensions are in mm / inches

Features:

PART NUMBER: PSIBVU78

- Wide Bandwidth VHF, UHF, 7/800
 - 132-174 MHz
 - 380-570 MHz
 - 700-960 MHz
- Aesthetically pleasing:
 - 1.5mm (0.060 inch) thickness to ceiling.
- VSWR < 2:1
- Optimized to low frequency inbuilding environments.

Applications:

- In Building Repeater Systems
 Bi-Directional Amplifiers
- Police, Fire, Government critical communication enhancement
- Low-profile ceiling mounting
- Enhanced for In-building:
 - Modest Gain
 - Multi-Floor coverage
 - Avoid nulls of traditional dipoles.



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998 1



Description: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78

ELECTRICAL SPECIFICATIONS

Frequency	132-174 / 380-570 / 700-960 MHz
Nominal Impedance	50 Ω
VSWR	2:1*
Power Withstand	6 watts
Connector Type	N Female
Cable Type	Ø 4mm / 0.16"
Cable length	500mm / 19.7"

*antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame

Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



2



Description: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78

MECHANICAL SPECIFICATIONS.

Color	White
Weight:	675 grams
Cable retention: Pull off	30 N
Fixing system	4pcs M6 hex slot bolt & nut

ENVIRONMENTAL SPECIFICATIONS

Operating temperature	0 - 60° C
Storage temperature	MIL STD 801G: 24h at 85C and 24h at -40C
Temperature shock	MIL STD 810G: Method 503.5, -40 for 1 hr to +85 C for 1 hr @ 15 deg.C/min rate of change; 3 cycles
Humidity	MIL STD 810G: 24h at 60C and 95%RH
Vibration	MIL STD 810G: 514.6 C-II
Chemical resistance	MIL STD 810G
Drop test	Top, bottom, side. 3 times/orientation, 40"
Package drop	All faces & corners, 40"

lssue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3




Description: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78

MECHANICAL DRAWING



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION




Description: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz


Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78

CHARTS – antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame



Total efficiency, % - 132-174MHz



Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



5





Description: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz


Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78

CHARTS - antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame







Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION



6




TECHNICAL DATA SHEET

Description: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

PART NUMBER: PSIBVU78

CHARTS – antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame



Vertical plane 132-174MHz

Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



7




TECHNICAL DATA SHEET


Description: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

PART NUMBER: PSIBVU78

CHARTS – antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame



Horizontal plane 380-570MHz



Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



8




TECHNICAL DATA SHEET

Description: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

PART NUMBER: PSIBVU78

CHARTS – antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame



Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78



* Spacer to be used in gypsum & concrete installations

Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 10



TECHNICAL DATA SHEET


Description: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

PART NUMBER: PSIBVU78

Packaging

- Each antenna packed in a plastic bag and a single box
- 1 label on each antenna with Part number, Description, Serial number, date code
- 34 single boxes of antennas packed in a master carton.
- 1 label on each carton with Qty, Part number, Date code.





Issue: 1651

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

