



SMC Plug Connector Clamp/Solder Attachment for RG174, RG316, RG188, LMR-100, PE-B100, PE-C100, 0.100 inch

RF Connectors Technical Data Sheet

PE4201

ROWLRQ

- SMC Plug Connector
- MIL-STD-348A
- 50 Ohms
- Straight Body Geometry

- RG174, RG316, RG188, LMR-100, PE-B100, PE-C100, 0.100 inch Interface Type
- Clamp/Solder Attachment

HDWV

- Gold Plated Beryllium Copper Contact
- 30 µin minimum contact plating

SOLFOWLRQ

- General Purpose Test
- Custom Cable Assemblies



Pasternack's PE4201 SMC plug connector with clamp/solder attachment for RG174, RG316, RG188, LMR-100, PE-B100, PE-C100 and 0.100 inch is part of our full line of RF components available for same-day shipping.

20050XRFWU3 (GDWDVHW VSHFLFDWLRQ DG GDZOWGLPHQLRQ DVVREHORZWKV 3) 3DVWHQFNTEBDGFDWDORR15)PLFBDMQPLOOLPHWHDMFRGFWRUDOORZGHVLEUWRFRBDFXWRPLJH their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom FDEOHDVVHPEOFROWLRQDVWHQFNTEVVKLWFRGFWRURWKMRRE3DVWHQFNFDQOVRH[SHWOFKOGREXWRP cable assemblies for you and ship same-day.

OHFBCFDO6SHFLFDWLRQ

6LJH	
Length	0.413 in [10.49 mm]
Width/Dia.	0.25 in [6.35 mm]
Weight	0.007 lbs [3.18 g]

ODWHLDO6SHFLFDWLRQ

HVFLSWLRQ	ODWHLDO	3ODWLQ
Contact	Beryllium Copper	Gold 30 µin minimum
Insulation	PTFE	
Body	Brass	Nickel 100 µin minimum
Coupling Nut	Brass	Nickel 100 µin minimum

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, [LWDRQFHWFDFWLRQ SMC Plug Connector Clamp/Solder Attachment for RG174, RG316, RG188, LMR-100, PE-B100, PE-C100, 0.100 inch PE4201](#)



