
XENAELECTRON -2-D1/12 V BH

XENAELECTRON | ECG for automotive gas discharge headlight lamps



Areas of application

- Headlight

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts

Product datasheet


Technical data

Electrical data

Power input	41 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	35.00 W
Test voltage	13.5 V

¹⁾ Approximately

Dimensions & weight



Length	123.1 mm
Product weight	152.60 g

Lifespan

Lifespan Tc	3000 h
-------------	--------

Certificates & standards

ECE category	D1S & D1R
--------------	-----------

Country specific categorizations

Order reference	XT12VD1G5BH 35W
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321033611	XENAELECTRON -2-D1/12 V BH	Unpacked 1	- x - x -		152.60 g
4008321033628	XENAELECTRON -2-D1/12 V BH	Shipping carton box 45	590 mm x 395 mm x 115 mm	26.80 dm ³	8402.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.