

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0901200800](#)
Status: **Active**
Overview: [cgrid_iii](#)
Description: 2.54mm (.100") Pitch C-Grid III™ Header, Single Row, Vertical, 40 Circuits, 0.38μm (15μ") Gold (Au) Selective Plating

Documents:

[3D Model](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Drawing \(PDF\)](#)

General

Product Family	PCB Headers
Series	90120
Application	Wire-to-Board
Overview	cgrid_iii
Product Name	C-Grid III™

Physical


Breakaway	Yes
Circuits (Loaded)	40
Circuits (maximum)	40
Color - Resin	Black
First Mate / Last Break	No
Glow-Wire Compliant	No
Guide to Mating Part	No
Keying to Mating Part	None
Lock to Mating Part	None
Material - Metal	Brass
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	Polyester
Number of Rows	1
Orientation	Vertical
PC Tail Length (in)	0.114 In
PC Tail Length (mm)	2.90 mm
PCB Locator	No
PCB Retention	None
Packaging Type	Bag
Pitch - Mating Interface (in)	0.100 In
Pitch - Mating Interface (mm)	2.54 mm
Plating min: Mating (μin)	15
Plating min: Mating (μm)	0.38
Polarized to Mating Part	No
Polarized to PCB	No
Shrouded	No
Stackable	No
Temperature Range - Operating	-55°C to +125°C
Termination Interface: Style	Through Hole

Electrical

Current - Maximum per Contact	3A
Voltage - Maximum	350V

Solder Process Data

Duration at Max. Process Temperature (seconds)	5
Lead-free Process Capability	Wave Capable (TH only)



EU RoHS

**ELV and RoHS
Compliant**
**REACH SVHC
Contains SVHC: No**
**Halogen-Free
Status**

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[90120Series](#)

Mates With

[90147 C-Grid® PC Board Connector](#). [90123 C-Grid III™ Modular Crimp Housing](#)

Max. Cycles at Max. Process Temperature	1
Process Temperature max. C	260

Material Info

Reference - Drawing Numbers

Sales Drawing	SDA-90120
---------------	-----------

This document was generated on 05/26/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

PART NO. SEE CHART
DWG. NO. SDA-90120

CIRCUIT SIZE	PLATING TYPE A PART NO.	PLATING TYPE E PART NO.	PLATING TYPE F PART NO.
I X 1	90120-0041	90120-0681	90120-0841
I X 2	▲ -0042	▲ -0682	▲ -0842
I X 3	-0043	-0683	-0843
I X 4	-0044	-0684	-0844
I X 5	-0045	-0685	-0845
I X 6	-0046	-0686	-0846
I X 7	-0047	-0687	-0847
I X 8	-0048	-0688	-0848
I X 9	-0049	-0689	-0849
I X 10	-0050	-0690	-0850
I X 11	-0051	-0691	-0851
I X 12	-0052	-0692	-0852
I X 13	-0053	-0693	-0853
I X 14	-0054	-0694	-0854
I X 15	-0055	-0695	-0855
I X 16	-0056	-0696	-0856
I X 17	-0057	-0697	-0857
I X 18	-0058	-0698	-0858
I X 19	-0059	-0699	-0859
I X 20	-0060	-0700	-0860
I X 21	-0061	-0701	-0861
I X 22	-0062	-0702	-0862
I X 23	-0063	-0703	-0863
I X 24	-0064	-0704	-0864
I X 25	-0065	-0705	-0865
I X 26	-0066	-0706	-0866
I X 27	-0067	-0707	-0867
I X 28	-0068	-0708	-0868
I X 29	-0069	-0709	-0869
I X 30	-0070	-0710	-0870
I X 31	-0071	-0711	-0871
I X 32	-0072	-0712	-0872
I X 33	-0073	-0713	-0873
I X 34	-0074	-0714	-0874
I X 35	-0075	-0715	-0875
I X 36	-0076	-0716	-0876
I X 37	-0077	-0717	-0877
I X 38	-0078	-0718	-0878
I X 39	▼ -0079	▼ -0719	▼ -0879
I X 40	90120-0080	90120-0720	90120-0880

DIM C (±0.20) ±.008 (5.75) .226

DIM D (±0.20) ±.006 ±.012 (2.90) .114

CIRCUIT SIZE	PLATING TYPE A PART NO.	PLATING TYPE E PART NO.	PLATING TYPE F PART NO.
I X 1	90120-0081	90120-0721	90120-0881
I X 2	▲ -0082	▲ -0722	▲ -0882
I X 3	-0083	-0723	-0883
I X 4	-0084	-0724	-0884
I X 5	-0085	-0725	-0885
I X 6	-0086	-0726	-0886
I X 7	-0087	-0727	-0887
I X 8	-0088	-0728	-0888
I X 9	-0089	-0729	-0889
I X 10	-0090	-0730	-0890
I X 11	-0091	-0731	-0891
I X 12	-0092	-0732	-0892
I X 13	-0093	-0733	-0893
I X 14	-0094	-0734	-0894
I X 15	-0095	-0735	-0895
I X 16	-0096	-0736	-0896
I X 17	-0097	-0737	-0897
I X 18	-0098	-0738	-0898
I X 19	-0099	-0739	-0899
I X 20	-0100	-0740	-0900
I X 21	-0101	-0741	-0901
I X 22	-0102	-0742	-0902
I X 23	-0103	-0743	-0903
I X 24	-0104	-0744	-0904
I X 25	-0105	-0745	-0905
I X 26	-0106	-0746	-0906
I X 27	-0107	-0747	-0907
I X 28	-0108	-0748	-0908
I X 29	-0109	-0749	-0909
I X 30	-0110	-0750	-0910
I X 31	-0111	-0751	-0911
I X 32	-0112	-0752	-0912
I X 33	-0113	-0753	-0913
I X 34	-0114	-0754	-0914
I X 35	-0115	-0755	-0915
I X 36	-0116	-0756	-0916
I X 37	-0117	-0757	-0917
I X 38	-0118	-0758	-0918
I X 39	▼ -0119	▼ -0759	▼ -0919
I X 40	90120-0120	90120-0760	90120-0920

DIM C (±0.20) ±.008 (5.75) .226

DIM D (±0.25) ±.010 (4.50) .177

NOTES:
FOR PLATING VARIATIONS SEE
ENG.STD. SDES-99000-0003.

NON-STANDARD PRODUCTS

FOR PREVIOUS DRAWING ISSUES SEE MRI.

J SEE SHEET I.

REVISIONS

DIMENSIONS SHOWN (METRIC) INCH
UNLESS OTHERWISE SPECIFIED
TOLERANCES: ANGULAR ± 1/2°

	INCH	(METRIC)
3 PLACE	± . ---	
2 PLACE	± . ---	± ---
1 PLACE		± ---

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DESIGN DIMENSION (PRIMARY) (MM) IN.

EQUIVALENT DIMENSION (SECONDARY) (MM) IN.

DRWG BY: **DB**

CHK'D BY:

APP'D BY:

SCALE:

REVISE ONLY ON CAD SYSTEM		SH.	REV.
CAD/CAM FILENAME S490120X3 DGN		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
TITLE C-GRID III SINGLE ROW STRAIGHT PIN HEADER			
MOLEX EUROPE		SHEET NO. 30F	DATE 16/ 7/87
PART NO. SEE CHART	DWG NO. SDA-90120	SIZE B	